INDEX FOR VOLUME 49

Nancy S. Pollack

This index for Volume 49 was prepared using the same guidelines presented with the index for Volume 45 (Knopf and Knopf, J. Wildl. Manage. 45:1087–1105, 1981).

A

Acer rubrum, see Maple, red
Accipiter cooperii, see Hawk, Cooper's
Activity:
bat, 850
black-tailed deer, 951
Adomaitis, Vyto A., *see* Swanson, George A.
Agelaius phoeniceus, see Blackbirds, red-winged
Agriculture:
blackbird damage to corn, 1109
damage to wheat, Tanzania, 646
effects of autumn tillage systems on harvest, 185
Aix sponsa, see Ducks, wood
Alabama:
American woodcock food preferences, 492
turkey poult mortality, 472
Alaska:
distribution and home-range patterns, Sitka black-tailed deer, 96
nutritional limitations, black-tailed deer, 103
rates of nonbreeding bald eagles, 454
serum chemistry, grizzly bears, 893
Alberta:
coyote movements, habitat use, and vulnerability, 307
frequency of antlered white-tailed does, 386
immobilization of bighorn sheep, 162
Alces alces, see Moose
Alectoris rufa, see Partridge, red-legged
Alkon, Philip U., *see* Saltz, David
Alldredge, A. William, *see* Lee, John E.
Alldredge, A. William, *see* Torbit, Stephen C.
Allen, Durward L. Review of **State of the World 1984,** by Lester R. Brown, 538–540
Alt, Gary L., Craig R. McLaughlin, and Kenneth H. Pollock. Ear tag loss by black bears in Pennsylvania, 316–320
Ammodramus savannarum floridanus, see Sparrow, Florida grasshopper
Anas acuta, see Pintails
Anas platyrhynchos, see Mallards
Anderson, Dana R., and David E. Joyner. Subflocking and winter movements of Canada geese in southern Illinois, 422–428
Anderson, David A. Influence of sewage sludge fertilization on food habits of deer in western Washington, 91–95
Anderson, David R. Review of **Mathematical Programming for Natural Resource Management,** by Dennis P. Dykstra, 541–542
Anderson, David R., *see* Burnham, Kenneth P.
Anderson, David R., *see* Wilson, Kenneth R.
Anderson, H. LeRoy, *see* Windberg, Lamar A.
Anderson, Raymond K., *see* Murphy, Robert K.
Anser albifrons, see Geese, white-fronted
Antilocapra americana, see Pronghorn
Antlers: variation in moose by location, 983
Arizona: ducks breeding in a sewage marsh, 580
Artibeus lituratus, see Bats
Austin-Smith, P. J., *see* Cash, K. J.
Avery, Michael L. Application of mimicry theory to bird damage control, 1116–1121
Axis porcinus, see Deer, hog
Aythya americana, see Ducks, redhead
Aythya collaris, see Ducks, ring-necked
Aythya valisineria, see Canvasbacks

B

Baer, George M., John H. Shaddock, David J. Hayes, and Peter Savarie. Iophenoxic acid as a serum marker in carnivores, 49–51
Bailey, James A., *see* Risenhoover, Kenneth L.
Bailey, Peter L., J. David Port, Nathan L. Pace, Theodore H. Stanley, and John Kimball. The ED_{90} of carfentanil for elk immobilization with and without the tranquilizer R51703, 931–934
Baker, Dan L., and Douglas R. Hansen. Comparative digestion of grass in mule deer and elk, 77–79
Baker, Dan L., and N. Thompson Hobbs. Emergency feeding of mule deer during winter: tests of a supplemental ration, 934–942
Bakst, Murray R., *see* Gee, George F.
Ballard, Warren B., *see* Goodwin, Enid A.
Banks, D., *see* Cash, K. J.
Barnes, A., *see* Hill, G. J. E.
Barnes, Lindsay B., *see* Packard, Jane M.
Bartmann, Richard M., *see* Garrott, Robert A.
Bartmann, Richard M., *see* Lee, John E.
Bashore, Terry L., Walter M. Tzilkowski, and Edward D. Bellis. Analysis of deer-vehicle collision sites in Pennsylvania, 769–774
Baskett, T. S., *see* Griffin, C. R.
Bats:
monitoring activity by radiotelemetry, 350
monitoring cries, 11
Bauer, Cheryl A. Effects of paraquat on reproduction and growth in northern bobwhite, 1066–1073
Bauni, S. M., *see* Hansen, R. M.
Bayliss, Peter, and Jack Giles. Factors affecting the visibility of kangaroos counted during aerial surveys, 686–692
Bears, black: ear tag loss, Pennsylvania, 316
Bears, grizzly: serum chemistry, 893
Bears, polar: denning and cub production, Norway, 320
Beaver:
habitat classification system, 19
mortality rates, Newfoundland, 879, 881
use of red willow, Oregon, 26

INDEX FOR VOLUME 49

Nancy S. Pollack

This index for Volume 49 was prepared using the same guidelines presented with the index for Volume 45 (Knopf and Knopf, J. Wildl. Manage. 45:1087–1105, 1981).

A

Acer rubrum, see Maple, red
Accipiter cooperii, see Hawk, Cooper's
Activity:
bat, 850
black-tailed deer, 951
Adomaitis, Vyto A., *see* Swanson, George A.
Agelaius phoeniceus, see Blackbirds, red-winged
Agriculture:
blackbird damage to corn, 1109
damage to wheat, Tanzania, 646
effects of autumn tillage systems on harvest, 185
Aix sponsa, see Ducks, wood
Alabama:
American woodcock food preferences, 492
turkey poult mortality, 472
Alaska:
distribution and home-range patterns, Sitka black-tailed deer, 96
nutritional limitations, black-tailed deer, 103
rates of nonbreeding bald eagles, 454
serum chemistry, grizzly bears, 893
Alberta:
coyote movements, habitat use, and vulnerability, 307
frequency of antlered white-tailed does, 386
immobilization of bighorn sheep, 162
Alces alces, see Moose
Alectoris rufa, see Partridge, red-legged
Alkon, Philip U., *see* Saltz, David
Alldredge, A. William, *see* Lee, John E.
Alldredge, A. William, *see* Torbit, Stephen C.
Allen, Durward L. Review of **State of the World 1984,** by Lester R. Brown, 538–540
Alt, Gary L., Craig R. McLaughlin, and Kenneth H. Pollock. Ear tag loss by black bears in Pennsylvania, 316–320
Ammodramus savannarum floridanus, see Sparrow, Florida grasshopper
Anas acuta, see Pintails
Anas platyrhynchos, see Mallards
Anderson, Dana R., and David E. Joyner. Subflocking and winter movements of Canada geese in southern Illinois, 422–428
Anderson, David A. Influence of sewage sludge fertilization on food habits of deer in western Washington, 91–95
Anderson, David R. Review of **Mathematical Programming for Natural Resource Management,** by Dennis P. Dykstra, 541–542
Anderson, David R., *see* Burnham, Kenneth P.
Anderson, David R., *see* Wilson, Kenneth R.
Anderson, H. LeRoy, *see* Windberg, Lamar A.
Anderson, Raymond K., *see* Murphy, Robert K.
Anser albifrons, see Geese, white-fronted
Antilocapra americana, see Pronghorn
Antlers: variation in moose by location, 983
Arizona: ducks breeding in a sewage marsh, 580
Artibeus lituratus, see Bats
Austin-Smith, P. J., *see* Cash, K. J.
Avery, Michael L. Application of mimicry theory to bird damage control, 1116–1121
Axis porcinus, see Deer, hog
Aythya americana, see Ducks, redhead
Aythya collaris, see Ducks, ring-necked
Aythya valisineria, see Canvasbacks

B

Baer, George M., John H. Shaddock, David J. Hayes, and Peter Savarie. Iophenoxic acid as a serum marker in carnivores, 49–51
Bailey, James A., *see* Risenhoover, Kenneth L.
Bailey, Peter L., J. David Port, Nathan L. Pace, Theodore H. Stanley, and John Kimball. The ED_{90} of carfentanil for elk immobilization with and without the tranquilizer R51703, 931–934
Baker, Dan L., and Douglas R. Hansen. Comparative digestion of grass in mule deer and elk, 77–79
Baker, Dan L., and N. Thompson Hobbs. Emergency feeding of mule deer during winter: tests of a supplemental ration, 934–942
Bakst, Murray R., *see* Gee, George F.
Ballard, Warren B., *see* Goodwin, Enid A.
Banks, D., *see* Cash, K. J.
Barnes, A., *see* Hill, G. J. E.
Barnes, Lindsay B., *see* Packard, Jane M.
Bartmann, Richard M., *see* Garrott, Robert A.
Bartmann, Richard M., *see* Lee, John E.
Bashore, Terry L., Walter M. Tzilkowski, and Edward D. Bellis. Analysis of deer-vehicle collision sites in Pennsylvania, 769–774
Baskett, T. S., *see* Griffin, C. R.
Bats:
monitoring activity by radiotelemetry, 350
monitoring cries, 11
Bauer, Cheryl A. Effects of paraquat on reproduction and growth in northern bobwhite, 1066–1073
Bauni, S. M., *see* Hansen, R. M.
Bayliss, Peter, and Jack Giles. Factors affecting the visibility of kangaroos counted during aerial surveys, 686–692
Bears, black: ear tag loss, Pennsylvania, 316
Bears, grizzly: serum chemistry, 893
Bears, polar: denning and cub production, Norway, 320
Beaver:
habitat classification system, 19
mortality rates, Newfoundland, 879, 881
use of red willow, Oregon, 26

Bechard, Marc J., Bruce W. Zoellick, and Michael Nickerson. Accuracy in determining the age of nestling red-tailed hawks, 226–228
Beck, Cathy A., *see* O'Shea, Thomas J.
Behavior:
aversive conditioning, Canada geese, 631
breeding behavior and performance, white-tailed deer, 364
Canada goose subflocking and winter movements, Illinois, 422
crow-killing owl model, 643
detecting methiocarb-treated grapes, European starlings, 1102
detecting methiocarb-treated seeds, house finches, 1116
elk response to simulated mine disturbance, 751
estimating black-tailed deer activity with radio collars, 951
gray fox, Alabama, 33
mourning dove surrogate feeding, 502
red-cockaded woodpecker foraging behavior, 505
starling response to auditory stimuli, 620
wood duck density-production characteristics, 429
Behrend, Donald F., *see* Tierson, William C.
Bellis, Edward D., *see* Bashore, Terry L.
Berg, William E., *see* Fuller, Todd K.
Berry, John D., and Robert L. Eng. Interseasonal movements and fidelity to seasonal use areas by female sage grouse, 237–240
Biotelemetry: optimal locations of towers for triangulation studies, 190
Birds:
dimethyl anthranilate as a repellent, 636
effects of forest management, Washington, 255
effects of timber management, Florida, 1088
foraging behavior, winter and summer, 1098
selection of artificial nest sites, 264
starling response to auditory stimuli, 620
Birkhead, T. R., R. Kay, and D. N. Nettleship. A new method for estimating the survival rates of the common murre, 496–502
Bishir, John W., *see* Lancia, Richard A.
Bishop, Richard A., *see* Jackson, DeWaine H.
Bissonette, John A., *see* Litvaitis, John A.
Bizeau, Elwood G. Review of **Ecology and Management of the Western Canada Goose in Washington,** by I. J. Ball, Ellis L. Bowhay, and Charles F. Yocom, 538
Blackbirds, red-winged: damage to field corn, 1109
Blankenship, Lytle H. Review of **Resource Inventory and Baseline Study Methods for Developing Countries,** edited by Francis Conant, Peter Rogers, Marion Baumgardner, Cyrus McKell, Raymond Dasmann, and Priscilla Reining, 831
Block, William M., *see* Brennan, Leonard A.
Blus, Lawrence J., *see* Henny, Charles J.
Bobcats:
dynamics of a harvested population, Oklahoma, 283
habitat use, Oklahoma, 913
population characteristics, Washington, 721
reproductive activity, Kansas, 42
survival rates and mortality factors, Minnesota, 292
transmitter harness, 46
Bochantin, Julius, *see* Sherman, Paul W.
Bolen, Eric G., *see* Whyte, Richard J.
Bollinger, Eric K., and James W. Caslick. Factors influencing blackbird damage to field corn, 1109–1115
Bonasa umbellus, see Grouse, ruffed
Bonde, Robert K., *see* O'Shea, Thomas J.
Bowyer, R. Terry, *see* Shea, Martin E.
Branan, William V., Marga C. M. Werkhoven, and R. Larry Marchinton. Food habits of brocket and white-tailed deer in Suriname, 972
Brannon, Robert D. Serum chemistry of central and northern Alaska grizzly bears, 893–900
Branta canadensis, see Geese, Canada
Braun, Clait E., *see* Remington, Thomas E.
Breeding:
bald eagles, Minnesota, 585
duck use of a sewage marsh, Arizona, 580
influence of drought on mallards, Iowa, 442
nonbreeding bald eagles, Alaska, 454
Brennan, Leonard A., and William M. Block. Sex determination of mountain quail reconsidered, 475–476
Briggs, Darrell, *see* Nicholson, W. S.
Briggs, Kenneth T., W. Breck Tyler, and David B. Lewis. Aerial surveys for seabirds: methodological experiments, 412–417
Briggs, Kenneth T., W. Breck Tyler, and David B. Lewis. Comparison of ship and aerial surveys of birds at sea, 405–411
British Columbia: black-tailed deer habitat use, 946
Brittell, J. David, *see* Knick, Steven T.
Brown, Robert D., *see* Carl, Gary R.
Brown, W. H., *see* Shively, C. L.
Browse:
availability and use, white-tailed deer in Indiana, 120
red maple cell composition, 521
Bunnell, F. L., *see* Seip, D. R.
Bunnell, Fred L., *see* Gillingham, Michael P.
Buoen, Lance C., *see* Garcelon, David K.
Burnham, Kenneth P., David R. Anderson, and Jeffrey L. Laake. Efficiency and bias in strip and line transect sampling, 1012–1018
Burros, feral: diet, Galapagos, 165
Buteo jamaicensis, see Hawks, red-tailed

C

California: survival following relocation, black-tailed deer, 115
Canis latrans, see Coyotes
Canis lupus, see Wolves
Canvasbacks:
aerial photographic census, 449
diet and nutrition, Nevada, 203
Capricornis crispus, see Serow, Japanese
Capture:
a timer for field studies, 1025
techniques for mink, 40
Card, William C., Roy L. Kirkpatrick, Kenneth E. Webb, Jr., and Patrick F. Scanlon. Nutritional influences on NEFA, cholesterol, and ketones in white-tailed deer, 380–385
Carfentanil: elk immobilization, 931
Caribou:
energy expenditures while cratering in snow, 987

predation by wolves, 711
Carl, Gary R., and Robert D. Brown. Protein requirement of adult collared peccaries, 351–355
Carnivores: serum markers, 49
Carpenter, Len H., *see* Torbit, Stephen C.
Carpodacus mexicanus, see Finches, house
Cash, K. J., P. J. Austin-Smith, D. Banks, D. Harris, and P. C. Smith. Food remains from bald eagle nest sites on Cape Breton Island, Nova Scotia, 223–225
Caslick, James W., *see* Bollinger, Eric K.
Castor canadensis, see Beaver
Cats, domestic: demography and movements, Illinois, 340
Caughley, Graeme, Gordon C. Grigg, and Lyn Smith. The effect of drought on kangaroo populations, 679–685
Causey, M. Keith, *see* Miller, Doreen L.
Census: canvasbacks, 449
Centrocercus urophasianus, see Grouse, sage
Cervids: fecal indices to dietary quality, 142
Cervus elaphus, see Elk
Cervus elaphus roosevelti, see Elk, Roosevelt
Charles-Dominique, Pierre, *see* Cooper, Howard M.
Chen caerulescens, see Geese, snow
Chen caerulescens caerulescens, see Geese, lesser snow
Chiroptera, *see* Bats
Clark, Alan G., *see* Shea, Martin E.
Clark, William R., *see* Clay, Robert T.
Clay, Robert R., and William R. Clark. Demography of muskrats on the Upper Mississippi River, 883–890
Coblentz, Bruce E., *see* Van Vuren, Dirk
Cohen, R. D. H., *see* Harper, W. L.
Cole, Patrick H., *see* Johnson, Ron J.
Colinus virginianus, see Quail, bobwhite
Collopy, Michael W., *see* Porter, Margaret L.
Colorado:
ring-necked pheasant survival, 1044
sage grouse food in winter, 1055
Conner, Mark C., and Ronald F. Labisky. Evaluation of radioisotope tagging for estimating abundance of raccoon populations, 326–332
Conover, Michael R. Alleviating nuisance Canada goose problems through methiocarb-induced aversive conditioning, 631–636
Conover, Michael R. Protecting vegetables from crows using an animated crow-killing owl model, 643–645
Conroy, Michael J., *see* Montalbano III, Frank
Contaminants:
detecting methiocarb-treated grapes, European starlings, 1102
detecting methiocarb-treated seeds, house finches, 1116
effects of paraquat, northern bobwhite, 1066
famphur, effects on magpies and hawks, 648
in eastern Cooper's hawk eggs, 1040
Cooke, F., *see* Seguin, Randolph J.
Cooke, Fred, *see* Findlay, C. Scott
Cooper, Howard M., and Pierre Charles-Dominique. A microcomputer data acquisition-telemetry system: a study of activity in the bat, 850–854
Coots, American: chronology of migration, Oklahoma, 241
Corn, Joseph L., and Robert J. Warren. Seasonal variation in nutritional indices of collared peccaries in south Texas, 57–65
Corvus brachyrhynchos, see Crow, American
Coyotes:
diglyme as a lure, 519
movements, habitat use, and vulnerability, Alberta, 307
survival, Texas, 301
Cranes, greater sandhill: cryogenic preservation of semen, 480
Cranes, sandhill:
condition index, 569
distribution and abundance, Texas, 250
habitat use, Texas, 1074
harvest, migration, and condition, Saskatchewan, 476
morphometric variation, 246
Crow, American: crow-killing owl model, 643
Cryogenics: preservation of crane semen, 480
Cumming, Harold G. Review of **Wildlife Ecology and Management,** by William L. Robinson and Eric G. Bolen, 835–836

D

Dahlgren, Robert B., *see* Huegel, Craig N.
Dahlgren, Robert B., *see* Wydeven, Adrian P.
David, Larry M., *see* Warner, Richard E.
Davison, William R., *see* O'Brien, Timothy G.
Deer: reflectors and deer-vehicle accidents, 774
Deer, black-tailed:
estimating activity with radio collars, 951
habitat use, British Columbia, 946
repellents, 358
Deer, brocket: food habits, Suriname, 972
Deer, Columbian black-tailed:
fecal indices to dietary quality, 142
food habits, Washington, 91
survival following relocation, California, 115
Deer, hog: defecation rate in captivity, 925
Deer, mule:
body composition, 86
differential loss of fat and protein, 80
digestion of grass, 77
effects of fire on diet, 942
emergency feeding during winter, 934
radio-transmitter packages and mortality, 758
Saskatoon serviceberry toxicity, 362
Deer, Sitka black-tailed:
distribution and home-range patterns, Alaska, 96
nutritional limitations, Alaska, 103
Deer, white-tailed:
birth size and growth of fawns, Illinois, 374
birth weights of fawns from doe fawn deer, 962
breeding behavior and performance, 364
Ca, Mg, and P in the diet, Indiana, 129
deer-vehicle collision sites, Pennsylvania, 769
determining fetus age by X-ray, 372
food habits, Suriname, 972
frequency of antlered does, Alberta, 386
mortality of fawns, Iowa, 377
nutritional influences of NEFA, cholesterol, and ketones, 380

progeny sex ratio relationships, 134
reproductive dynamics among herds, Florida, 964
seasonal movements and home ranges, 760
use of an irrigated agriculture-grassland complex, Wisconsin, 125
use of young pine plantations, Oklahoma, 958
winter browse availability and use, Indiana, 120
Defecation: rates, hog deer, 925
Delany, Michael F., Henry M. Stevenson, and Ray McCracken. Distribution, abundance, and habitat of the Florida grasshopper sparrow, 626–631
Demography:
clutch size variation, lesser snow geese, 417
free-ranging domestic cats, Illinois, 340
muskrats, 883
Dendragapus obscurus, see Grouse, blue
Denning: polar bears, Norway, 320
Derleth, E. L., *see* Haramis, G. M.
Dhungel, Sanat K. Defecation rate of hog deer in captivity, 925–926
Diet:
and trophic ranking, ungulates, northern Serengeti, 823
drought effects, pronghorn and other ungulates, 146
effects of fire on diet overlap, mule deer and mountain sheep, 942
fecal indices to dietary quality, cervids, 142
indicated by fatty acid composition of adipose tissue, rats and mongoose, 170
redheads and canvasbacks, Nevada, 203
response to restriction, collared peccaries, 733
tortoises and burros, Galapagos, 165
Diglyme: use as an odor-attractant solvent, 519
Dimethyl anthranilate (DMA): as a bird repellent, 636
Doerr, Phillip D., *see* Stribling, H. Lee
Dolbeer, Richard A. Review of **The Starling,** by Christopher Feare, 832
Dolbeer, Richard A., *see* Mason, J. Russell
Dorrance, Michael J., *see* Roy, Laurence D.
Doves, mourning: surrogate feeding and adoptive behavior, 502
DuBois, Stephen D., *see* Gasaway, William C.
Ducks, redhead: diet and nutrition, Nevada, 203
Ducks, ring-necked:
feeding ecology, Minnesota, 546
status in the southern Atlantic Flyway, 543
Ducks, wood:
density-production characteristics, 429
movements and habitats, South Dakota, 437
Duncan, David C. Differentiating yearling from adult northern pintails by wing-feather characteristics, 576–579

E

Eagle, Thomas C., and Alan B. Sargeant. Use of den excavations, decoys, and barrier tunnels to capture mink, 40–42
Eagles, bald:
food availability and winter range sizes, 592
food remains from nest sites, Nova Scotia, 223
impact of human activities on breeding, 585
rates of nonbreeding eagles, Alaska, 454
sexing, 595
Eberhardt, L. L. Assessing the dynamics of wild populations, 997–1012
Eddleman, William R., Fritz L. Knopf, and Craig T. Patterson. Chronology of migration by American coots in Oklahoma, 241–246
Edge, W. Daniel, and C. Les Marcum. Movements of elk in relation to logging disturbances, 926–930
Edge, W. Daniel, C. Les Marcum, and Sally L. Olson. Effects of logging activities on home-range fidelity of elk, 741–744
EDITORIALS, 282, 542, 1125
Elk:
digestion of grass, 77
habitat, 73
home-range fidelity, 741
immobilization with carfentanil, 931
mating success, 744
movements, 926
response to simulated mine disturbance, Idaho, 751
Elk, Roosevelt: fecal indices to dietary quality, 142
Ely, Craig R. Review of **Greenland White-fronted Goose Study: Report of the 1979 Expedition to Eqalungmiut Nunat, West Greenland,** edited by A. D. Fox and D. A. Stroud, 540–541
Eng, Robert L., *see* Berry, John D.
Engeman, Richard M., *see* Windberg, Lamar A.
Equus asinus, see Burros, feral
Erethizon dorsatum, see Porcupines

F

Famphur: kills magpies and hawks, 648
Fancy, Steve G., and Robert G. White. Energy expenditures by caribou while cratering in snow, 987–993
Feeding:
food availability and winter range sizes, bald eagles, 592
mule deer, Saskatoon serviceberry, 362
red-billed quelea damage to wheat, Tanzania, 646
ring-necked ducks, Minnesota, 546
spring foods, snow and Canada geese, 558
surrogate feeding, mourning doves, 502
turkey poults, 466
Felis rufus, see Bobcat
Fellows, David P., *see* Reidinger, Russell F., Jr.
Festa-Bianchet, Marco, and Jon T. Jorgenson. Use of xylazine and ketamine to immobilize bighorn sheep in Alberta, 162–165
Finches, house: detecting methiocarb-treated seeds, 1116
Findlay, C. Scott, Robert F. Rockwell, and Fred Cooke. Does clutch size vary with cohort in lesser snow geese, 417–420
Fire: effects on diet overlap, mule deer and mountain sheep, 942
Fisher: corpora lutea number as related to age and distribution, Maine, 37
Fitzner, Richard E., *see* Henny, Charles J.
Flake, Lester D., *see* Smith, Randy L.
Florida:
distribution, abundance, and habitat, grasshopper sparrow, 626
effects of timber management on bird communities, 1088

manatee distribution, 921
manatee mortality patterns, 1
reproductive dynamics among deer herds, 964
Flyways: ring-necked ducks in the southern Atlantic Flyway, 543
Food:
American woodcock, Alabama, 492
effects of tillage systems on harvest, 185
mallards, North Dakota wetlands, 197
mule deer in winter, 934
porcupines in winter, 28
sage grouse in winter, Colorado, 1055
Food habits:
bald eagles, Nova Scotia, 223
brocket and white-tailed deer, Suriname, 972
influence of sewage sludge fertilization, deer, Washington, 91
Rocky Mountain bighorn sheep, 156
pinnipeds, 910
Foraging:
energy expenditure, elk, 987
in winter and summer, birds, 1098
Fowler de Neira, Lynn E., and Mark K. Johnson. Diets of giant tortoises and feral burros on Volcan Alcedo, Galapagos, 165–169
Fox, gray:
age-specific reproduction, Wisconsin, 890
denning, pup-rearing, and dispersal, Alabama, 33
Franzmann, Albert W., and Charles C. Schwartz. Moose twinning rates: a possible population condition assessment, 394–396
Franzmann, Albert W., *see* Regelin, Wayne L.
Franzmann, Albert W., *see* Schwartz, Charles C.
Fraser, James D., L. D. Frenzel, and John E. Mathisen. The impact of human activities on breeding bald eagles in north-central Minnesota, 585–592
Fredine, C. Gordon. Review of **The Federal Duck Stamps: A Complete Guide,** by David P. McBride, 1124
Frenzel, L. D., *see* Fraser, James D.
Fritzell, Erik K., George F. Hubert, Jr., Bradley E. Meyen, and Glen C. Sanderson. Age-specific reproduction in Illinois and Missouri raccoons, 901–905
Fulica americana, see Coots, American
Fuller, Mark R., *see* Pattee, Oliver H.
Fuller, Todd K., William E. Berg, and David W. Kuehn. Survival rates and mortality factors of adult bobcats in north-central Minnesota, 292–296
Fuller, Todd K., *see* Heisey, Dennis M.

G

Galapagos: tortoise and burro diets, 165
Gallagher, James F., Robert L. Lochmiller, and William E. Grant. Immobilization of collared peccaries with ketamine hydrochloride, 356–357
Garcelon, David K., Mark S. Martell, Patrick T. Redig, and Lance C. Busen. Morphometric, karyotypic, and laparoscopic techniques for determining sex in bald eagles, 595–599
Garrott, Robert A., Richard M. Bartmann, and Gary C. White. Comparison of radio-transmitter packages relative to deer fawn mortality, 758–759
Garrott, Robert A., *see* Lee, John E.
Garton, Edward O., *see* Samuel, Michael D.
Gasaway, William C., Stephen D. DuBois, and Samuel J. Harbo. Biases in aerial transect surveys for moose during May and June, 777–784
Gates, J. Edward, *see* Gilmore, Robert M.
Gee, George F., Murray R. Bakst, and Thomas J. Sexton. Cryogenic preservation of semen from the greater sandhill crane, 480–484
Geese, Canada:
aversive conditioning, 631
spring foods, James Bay, 558
subflocking and winter movements, Illinois, 422
Geese, lesser snow:
clutch size variation, 417
web tag loss, 420
Geese, snow:
body condition and nutrition, Texas, 1028
spring foods, James Bay, 558
Geese, white-fronted: condition index, 569
Geis, Aelred D. Review of **Natural Systems for Development: What Planners Need to Know,** edited by Richard A. Carpenter, 278
Geochelone elephantopus, see Tortoises, giant
Giles, Jack, *see* Bayliss, Peter
Gillingham, Michael P., and Fred L. Bunnell. Reliability of motion-sensitive radio collars for estimating activity of black-tailed deer, 951–958
Gilmore, Robert M., and J. Edward Gates. Habitat use by the southern flying squirrel at a hemlock-northern hardwood ecotone, 703–710
Gladfelter, H. Lee, *see* Huegel, Craig N.
Glahn, James F., *see* Mason, J. Russell
Glaucomys volans, see Squirrel, southern flying
Goat, mountain: compensatory reproduction, Montana, 837
Goldman, Luther C. Review of **How I Photograph Wildlife and Nature,** by Leonard Lee Rue III, 1122–1123
Goldsberry, J. R., *see* Haramis, G. M.
Goodwin, Enid A., and Warren B. Ballard. Use of tooth cementum for age determination of gray wolves, 313–316
Grant, W. E., *see* Lochmiller, R. L.
Grant, William E., *see* Gallagher, James F.
Grant, William E., *see* Hellgren, Eric C.
Greenwood, Raymond J., Alan B. Sargeant, and Douglas H. Johnson. Evaluation of mark-recapture for estimating striped skunk abundance, 332–340
Griffen, C. R., and T. S. Baskett. Food availability and winter range sizes of immature and adult bald eagles, 592–594
Grigg, Gordon C., *see* Caughley, Graeme
Grouse, blue:
habitat use, Idaho, 459
influence of radio packages on young, 1050
Grouse, ruffed:
habitat use, Idaho, 459
micro-habitat relationships, Idaho, 605
Grouse, sage:
food selection in winter, Colorado, 1055
movements and fidelity to areas, 237
Growth: birth size and growth, deer fawns, 374

Grus canadensis, see Cranes, sandhill
Grus canadensis tabida, see Cranes, greater sandhill

H

Haagenrud, Hans, *see* Saether, Bernt-Erik
Habitat:
American woodcock, Pennsylvania, 614
beaver use of red willow, Oregon, 26
black-tailed deer, British Columbia, 946
bobcat, Oklahoma, 913
carrying capacity, 814
classification system, beaver, 19
coyotes, Alberta, 307
deer use of young pine plantations, Oklahoma, 958
effect of drought on kangaroo populations, 679
effects of logging on home-range, elk, 741
effects of timber harvesting, Kaibab squirrel, 14
evaluation of shrubs for game ranges, 524
Florida grasshopper sparrow, 626
foraging behavior, birds, 1098
foraging ecology, mountain sheep, 797
gray fox, Alabama, 33
influences of weather, elk, 73
methods to examine use, snowshoe hare, 693
nocturnal use of fields, American woodcock, 485
quelea damage to wheat, Tanzania, 646
ruffed and blue grouse, Idaho, 459
ruffed grouse, Idaho, 605
snowshoe hare, 866
southern flying squirrel, 703
Stone's sheep nutrition on burned and unburned ranges, 397
turkey poult feeding activity, 466
ungulate relationships, South Dakota, 805
use by sandhill cranes, Texas, 1074
use of an irrigated agriculture-grassland complex, white-tailed deer, 125
use of charred black spruce bark, snowshoe hare, 296
winter range sizes and food availability, bald eagles, 592
wood ducks, South Dakota, 437
Haliaeetus leucocephalus, see Eagles, bald
Hanley, Thomas A., and Jay D. McKendrick. Potential nutritional limitations for black-tailed deer in a spruce-hemlock forest, southeastern Alaska, 103–114
Hansen, Andrew J., and John I. Hodges, Jr. High rates of nonbreeding adult bald eagles in southeastern Alaska, 454–458
Hansen, Douglas R., *see* Baker, Dan L.
Hansen, R. M., M. M. Mugambi, and S. M. Bauni. Diets and trophic ranking of ungulates of the northern Serengeti, 823–829
Haramis, G. M., J. R. Goldsberry, D. G. McAuley, and E. L. Derleth. An aerial photographic census of Chesapeake Bay and North Carolina canvasbacks, 449–454
Haramis, G. M., and D. Q. Thompson. Density-production characteristics of box-nesting wood ducks in a northern greentree impoundment, 429–436
Harbo, Samuel J., *see* Gasaway, William C.
Hares, snowshoe:
habitat use and density, 866
methods used to examine habitat use, 693
survival, 854
use of charred black spruce bark, 296
Harestad, Alton S. Habitat use by black-tailed deer on northern Vancouver Island, 946–950
Harper, W. L., and R. D. H. Cohen. Accuracy of Doppler ultrasound in diagnosing pregnancy in bighorn sheep, 793–796
Harris, D., *see* Cash, K. J.
Harvest: sandhill cranes, 476
Havera, Stephen P., *see* Warner, Richard E.
Hawk, Cooper's: contaminants in eggs, 1040
Hawks, red-tailed:
age determination, 226
effects of insecticides, 648
Hayes, David J., *see* Baer, George M.
Healy, William M. Turkey poult feeding activity, invertebrate abundance, and vegetation structure, 466–472
Heisey, Dennis M., and Todd K. Fuller. Evaluation of survival and cause-specific mortality rates using telemetry data, 668–674
Hellgren, Eric C., Robert L. Lochmiller, and William E. Grant. Pregnancy diagnosis in the collared peccary by ultrasonic amplitude-depth analysis, 71–73
Hematology: collared peccary, 66
Henny, Charles J., Lawrence J. Blus, Elizabeth J. Kolbe, and Richard E. Fitzner. Organophosphate insecticide (famphur) topically applied to cattle kills magpies and hawks, 648–658
Herpestes auropunctatus, see Mongoose
Hill, Edward P., *see* Nicholson, W. S.
Hill, G. J. E., A. Barnes, and G. R. Wilson. Time of day and aerial counts of grey kangaroos, 843–849
Hines, James E., and Fred C. Zwickel. Influence of radio packages on young blue grouse, 1050–1054
Hitchcock, Ronald R., and Ralph E. Mirarchi. Surrogate feeding and adoptive behavior in mourning doves, 502–504
Hobaugh, William C. Body condition and nutrition of snow geese wintering in southeastern Texas, 1028–1037
Hobbs, N. Thompson, and David M. Swift. Estimates of habitat carrying capacity incorporating explicit nutritional constraints, 814–822
Hobbs, N. Thompson, *see* Baker, Dan L.
Hobbs, N. Thompson, *see* Spowart, Richard A.
Hodges, John I., Jr., *see* Hansen, Andrew J.
Hohman, William L. Feeding ecology of ring-necked ducks in northwestern Minnesota, 546–557
Holbrook, H. Todd, and Michael R. Vaughan. Influence of roads on turkey mortality, 611–614
Holecheck, Jerry L., *see* Stephenson, Thor E.
Holloran, Diane J., *see* Johnson, Neil F.
Home range:
and movements, white-tailed deer, 760
effects of logging, elk, 741
estimating size, 1019
estimation procedure, 513
patterns and distribution, Sitka black-tailed deer, Alaska, 96
Hompland, Gary L., *see* Kuck, Lonn
Hoopes, Laura Mays, *see* Sherman, Paul W.

Howard, Rebecca J., and Joseph S. Larson. A stream habitat classification system for beaver, 19–25
Howard, Walter E., *see* Scrivner, Jerry H.
Hubert, George F., Jr., *see* Fritzell, Erik K.
Hudak, Howard G., *see* Patton, David R.
Hudgins, James E., Gerald L. Storm, and James S. Wakeley. Local movements and diurnal-habitat selection by male American woodcock in Pennsylvania, 614–619
Hudson, Robert J., *see* Renecker, Lyle A.
Huegel, Craig N., Robert B. Dahlgren, and H. Lee Gladfelter. Mortality of white-tailed deer fawns in south-central Iowa, 377–380
Huston, James E., *see* Whisenant, Steven G.

I

Idaho:
elk response to simulated mine disturbance, 751
ruffed and blue grouse habitat use, 459
ruffed grouse habitat, 605
Illinois:
age-specific reproduction, raccoons, 901
Canada geese subflocking and winter movements, 422
deer fawn birth size and growth, 374
demography and movements, domestic cats, 340
effects of tillage systems on harvest residues, 185
Immobilization:
carfentanil, elk, 931
xylazine and ketamine, bighorn sheep, 162
Indiana:
Ca, Mg, and P in the diet of deer, 129
winter browse availability and use, white-tailed deer, 120
Insecticides: famphur, effects on magpies and hawks, 648
Iowa:
deer fawn mortality, 377
influence of drought on mallard breeding, 442
Irby, Lynn R., *see* Keating, Kimberly A.
Iverson, George C., Paul A. Vohs, and Thomas C. Tacha. Distribution and abundance of sandhill cranes wintering in western Texas, 250–255
Iverson, George C., Paul A. Vohs, and Thomas C. Tacha. Habitat use by sandhill cranes wintering in western Texas, 1074–1083

J

Jack rabbits, black-tailed:
surveying, 699
weather related mortality, 696
Jackson, DeWaine H., Laura S. Jackson, and William K. Seitz. An expandable drop-off transmitter harness for young bobcats, 46–49
Jackson, DeWaine H., Harold H. Prince, and Richard A. Bishop. Influence of drought on mallards breeding in northern Iowa, 442–448
Jackson, Jerome A. An evaluation of aerial survey techniques for red-cockaded woodpeckers, 1083–1088
Jackson, Laura S., *see* Jackson, DeWaine H.
Jenness, C. A., and G. D. Ward. A versatile timer for field studies in animal ecology, 1025–1028
Johnson, Douglas H., Gary L. Krapu, Kenneth J. Reinecke, and Dennis G. Jorde. An evaluation of condition indices for birds, 569–575
Johnson, Douglas H., *see* Greenwood, Raymond J.
Johnson, Fred A., *see* Montalbano III, Frank
Johnson, Mark K., *see* Fowler de Neira, Lynn E.
Johnson, Neil F., and Diane J. Holloran. Reproductive activity of Kansas bobcats, 42–46
Johnson, Ron J., Patrick H. Cole, and Walter W. Stroup. Starling response to three auditory stimuli, 620–625
Jones, Robert L., and Harmon P. Weeks, Jr. Ca, Mg, and P in the annual diet of deer in south-central Indiana, 129–133
Jorde, Dennis G., *see* Johnson, Douglas H.
Jorgenson, Clint, *see* Tacha, Thomas C.
Jorgenson, Jon T., *see* Festa-Bianchet, Marco
Joyner, David E., *see* Anderson, Dana R.

K

Kaiser, T. Earl, *see* Pattee, Oliver H.
Kaminski, Richard M., *see* Leitch, William G.
Kangaroos:
effect of drought on populations, 679
time of day and aerial counts, 843
visibility during aerial surveys, 686
Kansas: bobcat reproductive activity, 42
Kasworm, Wayne F., *see* Keating, Kimberly A.
Kay, R., *see* Birkhead, T. R.
Keating, Kimberly A., Lynn R. Irby, and Wayne F. Kasworm. Mountain sheep winter food habits in the Upper Yellowstone Valley, 156–161
Keith, Lloyd B., *see* Sievert, Paul A.
Kellert, Stephen R. Social and perceptual factors in endangered species management, 528–536
Kellogg, Forest E., *see* O'Brien, Timothy G.
Kennedy, Michael L., *see* Moore, Dwight W.
Ketamine hydrochloride: immobilization of collared peccaries, 356
Kidney fat index: and kidney weight variation, 177
Kiltie, Richard A. Review of **The Peccaries,** by Lyle K. Sowls, 834–835
Kimball, John, *see* Bailey, Peter L.
Kindschy, R. R. Response of red willow to beaver use in southeastern Oregon, 26–28
Kirchhoff, Matthew D., *see* Schoen, John W.
Kirkpatrick, Roy L., *see* Card, William C.
Knick, Steven T., J. David Brittell, and Steven J. Sweeney. Population characteristics of bobcats in Washington state, 721–728
Knopf, Fritz L., *see* Eddleman, William R.
Kochman, Howard I., Galen B. Rathbun, and James A. Powell. Temporal and spatial distribution of manatees in Kings Bay, Crystal River, Florida, 921–924
Kochman, Howard I., *see* O'Shea, Thomas J.
Kolbe, Elizabeth J., *see* Henny, Charles J.
Krapu, Gary L., *see* Johnson, Douglas H.
Kuck, Lonn, Gary L. Hompland, and Evelyn H. Merrill. Elk calf response to simulated mine disturbance in southeast Idaho, 751–757
Kuehn, David W., *see* Fuller, Todd K.
Kuykendall, Charles B., *see* Stephenson, Thor E.

L

Laake, Jeffrey L., *see* Burnham, Kenneth P.
Labisky, Ronald F., *see* Conner, Mark C.
Labisky, Ronald F., *see* Porter, Margaret L.
Labisky, Ronald F., *see* Repenning, Robert W.
Labisky, Ronald F., *see* Richter, Andreas R.
Labows, John N., *see* Reidinger, Russell F., Jr.
Lagopus lagopus lagopus, see Ptarmigan, willow
LaGory, Kirk E., *see* LaGory, Mary Katherine
LaGory, Mary Katherine, Kirk E. LaGory, and Douglas H. Taylor. Winter browse availability and use by white-tailed deer in southeastern Indiana, 120–124
Lancia, Richard A., and John W. Bishir. Mortality rates of beaver in Newfoundland—a comment, 879–881
Larsen, Thor. Polar bear denning and cub production in Svalbard, Norway, 320–326
Larson, Joseph S., *see* Howard, Rebecca J.
Lavigne, D. M., *see* Murie, D. J.
Lee, John E., Gary C. White, Robert A. Garrott, Richard M. Bartmann, and A. William Alldredge. Accessing accuracy of a radiotelemetry system for estimating animal locations, 658–663
Leedy, Daniel L. Review of **Environmental Conservation,** by Raymond F. Dasmann, 830–831
Leitch, William G., and Richard M. Kaminski. Long-term wetland-waterfowl trends in Saskatchewan grassland, 212–222
Lepus americanus, see Hares, snowshoe
Lepus californicus, see Jack rabbits, black-tailed
Leslie, Charles A., *see* Melchiors, M. Anthony
Leslie, David M., Jr., and Edward E. Starkey. Fecal indices to dietary quality of cervids in old-growth forests, 142–146
Lewis, David B., *see* Briggs, Kenneth T.
Lindzey, James S. Review of **The Deer Wars: The Story of Deer in New Zealand,** by Graeme Caughley, 537–538
Littell, Ramon C., *see* Porter, Margaret L.
Litvaitis, John A., James A. Sherburne, and John A. Bissonette. A comparison of methods used to examine snowshoe hare habitat use, 693–695
Litvaitis, John A., James A. Sherburne, and John A. Bissonette. Influence of understory characteristics on snowshoe hare habitat use and density, 866–873
Lochmiller, R. L., L. W. Varner, and W. E. Grant. Hematology of the collared peccary, 66–71
Lochmiller, Robert L., Larry W. Varner, and W. E. Grant. Metabolic and hormonal responses to dietary restriction in adult female collared peccaries, 733–741
Lochmiller, Robert L., *see* Gallagher, James F.
Lochmiller, Robert L., *see* Hellgren, Eric C.
Luder, Roland. Weeds influence red-billed quelea damage to ripening wheat in Tanzania, 646–647
Lures: diglyme, 519

M

McAuley, D. G., *see* Haramis, G. M.
McCracken, Ray, *see* Delany, Michael F.
McCullough, Dale R., *see* O'Bryan, Mary K.
McDaniel, V. Rick, *see* Paige, Ken N.
McGlincy, Joe, *see* Speake, Dan W.
McKendrick, Jay D., *see* Hanley, Thomas A.
McLaughlin, Craig R., *see* Alt, Gary L.
Macropus fuliginosus, see Kangaroos
Macropus giganteus, see Kangaroos
Macropus rufus, see Kangaroos
Magpie, black-billed: and insecticides, 648
Mallards:
condition index, 564
foods, North Dakota wetlands, 197
influence of drought on breeding, Iowa, 442
variation in digestive organs during winter, 1037
Management:
effects of forest management on birds, Washington, 255
effects of timber management on bird communities, Florida, 1088
evaluation of shrubs for game ranges, 524
social and perceptual factors, 528
Manatees:
aerial surveys, 347
distribution, Florida, 921
mortality patterns, 1
Manley, Patricia N., *see* Morrison, Michael L.
Manuwal, David A., *see* Zarnowitz, Jill E.
Maple, red: season and twig-length effects on cell composition, 521
Marchinton, R. Larry, *see* Branan, William V.
Marcum, C. Les, and Michael D. Scott. Influences of weather on elk use of spring-summer habitat, 73–76
Marcum, C. Les, *see* Edge, W. Daniel
Marking:
ear tag loss, black bears, 316
radioisotope tagging, raccoons, 326
striped skunk, 332
web tag loss, lesser snow geese, 420
Marshall, Ian F., *see* Prevett, J. Paul
Martell, Mark S., *see* Garcelon, David K.
Martes pennanti, see Fisher
Maryland: canvasback census, 449
Mason, J. Russell, James F. Glahn, Richard A. Dolbeer, and Russell F. Reidinger, Jr. Field evaluation of dimethyl anthranilate as a bird repellent livestock feed additive, 636–642
Mason, J. Russell, *see* Reidinger, Russell F., Jr.
Mathisen, John E., *see* Fraser, James D.
Mattfeld, George F., *see* Tierson, William C.
Mazama americana, see Deer, brocket
Melchiors, M. Anthony, and Charles A. Leslie. Effectiveness of predator fecal odors as black-tailed deer repellents, 358–362
Melchiors, M. Anthony, Theodore H. Silker, and James E. Reeb. Deer use of young pine plantations in southeastern Oklahoma, 958–962
Meleagris gallopavo, see Turkeys
Meng, Heinz. Review of **Birds of North America: A Guide to Field Identification,** by Chandler S. Robbins, Bertel Bruun, and Herbert S. Zim, 280
Meng, Heinz. Review of **Field Guide to the Birds of North America,** edited by Shirley L. Scott, 280–281

Meng, Heinz. Review of **The Wonder of Birds,** edited by Robert M. Poole, 279–280
Mephitis mephitis, see Skunk, striped
Merrill, Evelyn H., *see* Kuck, Lonn
Methiocarb:
aversive conditioning, Canada geese, 631
detecting treated grapes, European starlings, 1102
detecting treated seeds, house finches, 1116
Metoclopramide: prevents 1080-induced emesis, wild pigs, 55
Metzler, Ray, *see* Speake, Dan W.
Meyen, Bradley E., *see* Fritzell, Erik K.
Meyer, Mavis I., *see* Swanson, George A.
Migration:
American coots, Oklahoma, 241
sandhill cranes, 476
Miller, Doreen L., and M. Keith Causey. Food preferences of American woodcock wintering in Alabama, 492–496
Mink: capture techniques, 40
Mink, Lawrence A., *see* Paige, Ken N.
Minnesota:
bobcat survival rates and mortality factors, 292
feeding ecology of ring-necked ducks, 546
impact of human activities on breeding bald eagles, 585
Mirarchi, Ralph E., *see* Hitchcock, Ronald R.
Missouri: age-specific reproduction, raccoons, 901
Miura, Shingo. Horn and cementum annulation as age criteria in Japanese serow, 152–156
Moen, Aaron N. Season and twig-length effects on cell composition of red maple, 521–524
Mongoose: fatty acid composition of adipose tissue indicates diet, 170
Montalbano III, Frank, Fred A. Johnson, and Michael J. Conroy. Status of wintering ring-necked ducks in the southern Atlantic Flyway, 543–546
Montana:
compensatory reproduction, mountain goats, 837
elk movements, 926
Moore, Dwight W., and Michael L. Kennedy. Weight changes and population structure of raccoons in western Tennessee, 906–909
Moose:
biases in aerial transect surveys, 777
estimation of dry matter intake, 785
formulated ration, 137
seasonal energy metabolism, 388
twinning rates, 394
variation in antlers, Norway, 983
variation in carcass weight in relation to climate, Norway, 977
Morphology: red-legged partridge, 228
Morphometry: sandhill cranes, 246
Morrison, Bruce. Review of **The Nilgai Antelope in Texas,** by William J. Sheffield, Bruce A. Fall, and Bennett A. Brown, 834
Morrison, Michael L., Irene C. Timossi, Kimberly A. With, and Patricia N. Manley. Use of tree species by forest birds during winter and summer, 1098–1102
Mortality:
beaver, Newfoundland, 879, 811
black-tailed jack rabbits, 696
bobcats, Minnesota, 292
deer fawns, Iowa, 377
manatees, 1
relative to radio-transmitter packages, mule deer, 758
turkey, 611
turkey poults, Alabama, 472
Mortality rates: estimated by telemetry data, 668
Morton, Martin L., *see* Sherman, Paul W.
Movement:
American woodcock, Pennsylvania, 614
and home ranges, white-tailed deer, 760
bighorn sheep, 994
Canada geese, Illinois, 422
coyotes, Alberta, 307
distribution and home-range patterns, Sitka black-tailed deer, Alaska, 96
elk, 926
fidelity to areas, sage grouse, 237
free-ranging domestic cats, Illinois, 340
gray fox, Alabama, 33
wood ducks, South Dakota, 437
Mugambi, M. M., *see* Hansen, R. M.
Munro, Hugh L., and Richard C. Rounds. Selection of artificial nest sites by five sympatric passerines, 264–276
Murie, D. J., and D. M. Lavigne. A technique for the recovery of otoliths from stomach contents of piscivorous pinnipeds, 910–912
Murphy, Robert K., Neil F. Payne, and Raymond K. Anderson. White-tailed deer use of an irrigated agriculture-grassland complex in central Wisconsin, 125–128
Murre, common: estimating survival rates, 496
Muskrats: demography, 883
Mustela vison, see Mink

N

Nelson, Thomas A., and Alan Woolf. Birth size and growth of deer fawns in southern Illinois, 374–377
Nest sites:
effects of forest management on birds, Washington, 255
selection of artificial sites, passerines, 264
Nesting:
depredation on artificial ground nests, 508
renesting and reproduction, willow ptarmigan, 599
wood duck density-production characteristics, 429
Nettleship, D. N., *see* Birkhead, T. R.
Nevada: redhead and canvasback diet and nutrition, 203
New Mexico: mineral lick use and movement, bighorn sheep, 994
Newfoundland: beaver mortality rates, 879, 881
Nicholson, W. S., Edward P. Hill, and Darrell Briggs. Denning, pup-rearing, and dispersal in the gray fox in east-central Alabama, 33–37
Nickerson, Michael, *see* Bechard, Marc J.
North Carolina: canvasback census, 449
North Dakota: mallard foods, 197
Norway: polar bear denning and cub production, 320
Nova Scotia: food remains from bald eagle nest sites, 223
Noyes, James H., and Robert L. Jarvis. Diet and nu-

trition of breeding female redhead and canvasback ducks in Nevada, 203–211
Nutrition:
Ca, Mg, and P in deer diets, 129
collared peccary, 729
collared peccary protein requirements, 351
dry matter intake, moose, 785
evaluation of shrubs for game ranges, 524
fatty acid composition of adipose tissue indicates diet, 170
formulated ration, moose, 137
habitat carrying capacity, 814
influence on NEFA, cholesterol, and ketones, white-tailed deer, 380
limitations, black-tailed deer, Alaska, 103
red maple cell composition, 521
redheads and canvasbacks, Nevada, 203
seasonal variation, collared peccaries, 57
snow geese, Texas, 1028
Stone's sheep, 397
Nydegger, Nicholas C., *see* Smith, Graham W.

O

O'Brien, Timothy G., Kenneth H. Pollock, William R. Davison, and Forest E. Kellogg. A comparison of capture-recapture with capture-removal for quail populations, 1062–1066
O'Bryan, Mary K., and Dale R. McCullough. Survival of black-tailed deer following relocation in California, 115–119
Odell, Daniel K., *see* O'Shea, Thomas J.
Odocoileus hemionus, *see* Deer, mule
Odocoileus hemionus columbianus, *see* Deer, black-tailed
Odocoileus hemionus sitkensis, *see* Deer, Sitka black-tailed
Odocoileus virginianus, *see* Deer, white-tailed
Oklahoma:
bobcat habitat use, 913
chronology of migration, American coots, 241
deer use of young pine plantations, 958
dynamics of a harvested bobcat population, 283
Olson, Sally L., *see* Edge, W. Daniel
Ondatra zibethicus, *see* Muskrats
Oreamnos americanus, *see* Goat, mountain
Oregon: beaver use of red willow, 26
Oreortyx pictus, *see* Quail, mountain
Oring, Lewis W., *see* Tenneson, Cheryl
O'Shea, Thomas J., Cathy A. Beck, Robert K. Bonde, Howard I. Kochman, and Daniel K. Odell. An analysis of manatee mortality patterns in Florida, 1976–81, 1–11
Ovis aries, *see* Sheep, feral
Ovis canadensis, *see* Sheep, bighorn
Ovis canadensis, *see* Sheep, mountain
Ovis canadensis canadensis, *see* Sheep, Rocky Mountain bighorn
Ovis dalli stonei, *see* Sheep, Stone's
Ozoga, John J., and Louis J. Verme. Comparative breeding behavior and performance of yearling vs. prime-age white-tailed bucks, 364–372
Ozoga, John J., and Louis J. Verme. Determining fetus age in live white-tailed does by X-ray, 372–374

P

Pace, Nathan L., *see* Bailey, Peter L.
Packard, Jane M., Robert C. Summers, and Lindsay B. Barnes. Variation of visibility bias during aerial surveys of manatees, 347–351
Paige, Ken N., Lawrence A. Mink, and V. Rick McDaniel. A broadband ultrasonic field detector for monitoring bat cries, 11–13
Paraquat: effects on northern bobwhite reproduction and growth, 1066
Parker, Howard. Compensatory reproduction through renesting in willow ptarmigan, 599–604
Partridge, red-legged: morphological characteristics and sex classification, 228
Passerines: selection of artificial nest sites, 264
Pattee, Oliver H., Mark R. Fuller, and T. Earl Kaiser. Environmental contaminants in eastern Cooper's hawk eggs, 1040–1044
Patterson, Craig T., *see* Eddleman, William R.
Patton, David R., Richard L. Wadleigh, and Howard G. Hudak. The effects of timber harvesting on the Kaibab squirrel, 14–19
Payne, Neil F. Mortality rates of beaver in Newfoundland—a reply, 881–883
Payne, Neil F., *see* Murphy, Robert K.
Payne, Neil F., *see* Root, David A.
Peccary, collared:
hematology, 66
immobilization with ketamine hydrochloride, 356
nutritional biology, 729
nutritional indices, 57
pregnancy diagnosis, 71
protein requirements, 351
response to dietary restriction, 733
Penland, Stephen T., *see* Schaffer, James A.
Pennsylvania:
black bear ear tag loss, 316
deer-vehicle collision sites, 769
woodcock movement and habitat selection, 614
Pépin, Dominique. Morphological characteristics and sex classification of red-legged partridge, 228–237
Peterson, Steven R., *see* Stauffer, Dean F.
Pettus, David. Review of **Genetics and Conservation,** edited by Christine M. Schonewald-Cox, Steven M. Chambers, Bruce MacBryde, and Larry Thomas, 277–278
Phasianus colchicus, *see* Pheasants, ring-necked
Pheasants, ring-necked: survival, Colorado, 1044
Phocoenoides dalli dalli, *see* Porpoises, Dall's
Physiology:
body composition, mule deer, 86
caribou energy expenditures, 987
collared peccary, 66, 729
collared peccary protein requirements, 351
condition index, mallards, 564
condition indices for birds, 569
differential loss of fat and protein, mule deer, 80
digestion of grass, mule deer and elk, 77
dry matter intake, moose, 785
fatty acid composition of adipose tissue indicates diet, rats and mongoose, 170
formulated ration, moose, 137
iophenoxic acid as a serum marker, 49

kidney weight variation and the kidney fat index, 177
metoclopramide to prevent emesis, wild pigs, 55
Norwegian moose carcass weight, 977
nutritional influences on NEFA, cholesterol, and ketones, white-tailed deer, 380
raccoon weight changes, Tennessee, 906
responses to dietary restriction, collared peccaries, 733
sandhill cranes, 476
seasonal energy metabolism, moose, 388
serum chemistry, Alaska grizzly bears, 893
serum progesterone levels, Dall's porpoises, 51
snow geese body condition, Texas, 1028
variation in mallard digestive organs, 1037
Pica pica, see Magpie, black-billed
Picoides borealis, see Woodpeckers, red-cockaded
Piest, Linden A., and Lyle K. Sowls. Breeding duck use of a sewage marsh in Arizona, 580–585
Pigs, wild: metoclopramide prevents 1080-induced emesis, 55
Pinnipeds: recovering otoliths from stomach contents, 910
Pintails: aging by wing-feather, 576
Poisoning:
metoclopramide prevents 1080-induced emesis, wild pigs, 55
of mule deer by Saskatoon serviceberry, 362
Polacheck, Tom. The sampling distribution of age-specific survival estimates from an age distribution, 180–184
Pollock, Kenneth H. Review of **Handbook of Census Methods for Terrestrial Vertebrates,** edited by David E. Davis, 1122
Pollock, Kenneth H., *see* Alt, Gary L.
Pollock, Kenneth H., *see* O'Brien, Timothy G.
Populations:
assessing wild population dynamics, 997
bobcats, Oklahoma, 283
bobcats, Washington, 721
distribution and abundance, Florida grasshopper sparrow, 626
effects of forest management on birds, Washington, 255
estimating density, 675
fisher, Maine, 37
kangaroos, 679
manatee distribution, Florida, 921
moose twinning rates, 394
muskrats, 883
progeny sex ratio relationships, deer, 134
raccoons, Florida, 326
raccoons, Tennessee, 906
sandhill crane distribution and abundance, Texas, 250
snowshoe hare density, 866
striped skunk, 332
using capture-recapture to estimate, bobwhite quail, 1062
Porcupines: winter food preferences, 28
Porpoises, Dall's: serum progesterone levels and reproductive status, 51
Port, J. David, *see* Bailey, Peter L.
Porter, Margaret L., Michael W. Collopy, Ronald F. Labisky, and Ramon C. Littell. Foraging behavior of red-cockaded woodpeckers: an evaluation of research methodologies, 505–507
Powell, James A., *see* Kochman, Howard I.
Predation:
by wolves on caribou, 711
on artificial ground nests, 508
Pregnancy:
diagnosis by Doppler ultrasound, bighorn sheep, 793
diagnosis, collared peccary, 71
fetus age, white-tailed deer, 372
Prevett, J. Paul, Ian F. Marshall, and Vernon G. Thomas. Spring foods of snow and Canada geese at James Bay, 558–563
Prince, Harold H., *see* Jackson, DeWaine H.
Procyon lotor, see Raccoons
Progulske, Donald R. Review of **When Dogs Run Wild: The Sociology of Feral Dogs and Wildlife,** by Christine Gentry, 540
Pronghorn: drought effect on diets, 146
Ptarmigan, willow: renesting and reproduction, 599
Public attitudes: in endangered species management, 528

Q

Quail, bobwhite: population size estimates, 1062
Quail, mountain: sex determination, 475
Quail, northern bobwhite: effects of paraquat on reproduction and growth, 1066
Quelea quelea, see Quelea, red-billed
Quelea, red-billed: damage to wheat, Tanzania, 646
Quinton, Dee A. Saskatoon serviceberry toxic to deer, 362–364

R

Raccoons:
age-specific reproduction, Illinois and Missouri, 901
radioisotope tagging to estimate population abundance, 326
weight changes and population structure, Tennessee, 906
Radio collars:
bobcats, 46
estimating black-tailed deer activity, 951
Radio packages: influence on young blue grouse, 1050
Radio transmitters:
harness, bobcats, 46
relative to mortality, mule deer, 758
Radiolocation: method for estimating error, 664
Radiotelemetry:
accuracy for estimating animal locations, 658
to study bat activity, 850
Rangifer tarandus, see Caribou
Rathbun, Galen B., *see* Kochman, Howard I.
Rathore, Ashok K. Use of metoclopramide to prevent 1080-induced emesis in wild pigs, 55–56
Rats, black: fatty acid in diet, 170
Rats, Norway: fatty acid in diet, 170
Rattus norvegicus, see Rats, Norway
Rattus rattus, see Rats, black
Redig, Patrick T., *see* Garcelon, David K.
Reeb, James E., *see* Melchiors, M. Anthony

Reeves, Henry M. Review of **Arctic Ordeal: The Journal of John Richardson, Surgeon-Naturalist with Franklin, 1820–1822,** edited by C. S. Houston, 1123–1124
Reflectors: effectiveness in reducing deer-vehicle accidents, 774
Regelin, Wayne L., Charles C. Schwartz, and Albert W. Franzmann. Seasonal energy metabolism of adult moose, 388–393
Regelin, Wayne L., *see* Schwartz, Charles C.
Reidinger, Russell F., Jr., John N. Labows, David P. Fellows, and J. Russell Mason. Fatty acid composition of adipose tissue as an indicator of diet: a preliminary assessment, 170–177
Reidinger, Russell F., Jr., *see* Mason, J. Russell
Reinecke, Kenneth J., *see* Johnson, Douglas H.
Relocation: black-tailed deer, California, 115
Remington, Thomas E., and Clait E. Braun. Sage grouse food selection in winter, North Park, Colorado, 1055–1061
Renecker, Lyle A., and Robert J. Hudson. Estimation of dry matter intake of free-ranging moose, 785–792
Repellents:
dimethyl anthranilate (DMA), 636
methiocarb, 631
predator fecal odors, effectiveness on black-tailed deer, 358
Repenning, Robert W., and Ronald F. Labisky. Effects of even-age timber management on bird communities of the longleaf pine forest in northern Florida, 1088–1098
Reproduction:
and renesting, willow ptarmigan, 599
birth weight of fawns from doe fawn deer, 962
bobcats, Kansas, 42
breeding behavior and performance, white-tailed deer, 364
clutch size, lesser snow geese, 417
cryogenic preservation of crane semen, 480
Dall's porpoises, 51
effects of paraquat, northern bobwhite, 1066
fisher, Maine, 37
gray fox, Wisconsin, 890
mating success, elk, 744
moose twinning rates, 394
mountain goats, Montana, 837
polar bears, Norway, 320
progeny sex ratio relationships, deer, 134
raccoons, Illinois and Missouri, 901
white-tailed deer, Florida, 964
Richter, Andreas R., and Ronald F. Labisky. Reproductive dynamics among disjunct white-tailed deer herds in Florida, 964–971
Ringelman, James K., and Michael R. Szymczak. A physiological condition index for wintering mallards, 564–568
Risenhoover, Kenneth L., and James A. Bailey. Foraging ecology of mountain sheep: implications for habitat management, 797–804
Rockwell, Robert F., *see* Findlay, C. Scott
Rolley, Robert E. Dynamics of a harvested bobcat population in Oklahoma, 283–292
Rolley, Robert E., and William D. Warde. Bobcat habitat use in southeastern Oklahoma, 913–920
Rollins, Nancy L., *see* Shea, Martin E.
Root, David A., and Neil F. Payne. Age-specific reproduction of gray foxes in Wisconsin, 890–892
Rounds, Richard C., *see* Munro, Hugh L.
Roy, Laurence D., and Michael J. Dorrance. Coyote movements, habitat use, and vulnerability in central Alberta, 307–313

S

Saether, Bernt-Erik. Annual variation in carcass weight of Norwegian moose in relation to climate along a latitudinal gradient, 977–983
Saether, Bernt-Erik, and Hans Haagenrud. Geographical variation in the antlers of Norwegian moose in relation to age and size, 983–986
Sage, Richard W., Jr., *see* Tierson, William C.
Saltz, David, and Philip U. Alkon. A simple computer-aided method for estimating radio-location error, 664–668
Sampling:
distribution of age-specific survival estimates, 180
strip and line transect survey methods, 1012
Samuel, Michael D., and Edward O. Garton. Home range: a weighted normal estimate and tests of underlying assumptions, 513–519
Sanderson, Glen C., *see* Fritzell, Erik K.
San Julian, Gary J. Review of **Prevention and Control of Wildlife Damage,** edited by Robert M. Timm, 279
Sargeant, Alan B., *see* Eagle, Thomas C.
Sargeant, Alan B., *see* Greenwood, Raymond J.
Saskatchewan:
sandhill crane harvest, migration, and condition, 476
wetland-waterfowl trends in grassland, 212
Savarie, Peter, *see* Baer, George M.
Scanlon, Patrick F., *see* Card, William C.
Schaffer, James A., and Stephen T. Penland. Effectiveness of Swareflex reflectors in reducing deer-vehicle accidents, 774–776
Schemnitz, Sanford D., *see* Watts, Tom J.
Schoen, John W., and Matthew D. Kirchhoff. Seasonal distribution and home-range patterns of Sitka black-tailed deer on Admiralty Island, southeast Alaska, 96–103
Schwartz, Charles C., Wayne L. Regelin, and Albert W. Franzmann. Suitability of a formulated ration for moose, 137–141
Schwartz, Charles C., *see* Franzmann, Albert W.
Schwartz, Charles C., *see* Regelin, Wayne L.
Sciurus aberti kaibabensis, see Squirrel, Kaibab
Scolopax minor, see Woodcock, American
Scott, Michael D., *see* Marcum, C. Les
Scrivner, Jerry H., Walter E. Howard, and Roy Teranishi. The use of diglyme as an odor-attractant solvent, 519–521
Seguin, Randolph J., and F. Cooke. Web tag loss from lesser snow geese, 420–422
Seip, D. R., and F. L. Bunnell. Nutrition of Stone's sheep on burned and unburned ranges, 397–405
Seitz, William K., *see* Jackson, DeWaine H.

Serow, Japanese: horn and cementum annulation as age criteria, 152
Severinghaus, C. W. Review of **White-tailed Deer: Ecology and Management,** compiled and edited by Lowell K. Halls, 1124–1125
Sewage sludge: influence on deer food habits, Washington, 91
Sexton, Thomas J., *see* Gee, George F.
Shaddock, John H., *see* Baer, George M.
Shea, Martin E., Nancy L. Rollins, R. Terry Bowyer, and Alan G. Clark. Corpora lutea number as related to fisher age and distribution in Maine, 37–40
Sheep, bighorn:
diagnosing pregnancy by Doppler ultrasound, 793
immobilization, 162
mineral lick use and movement, 994
Sheep, feral: kidney weight variation and the kidney fat index, 177
Sheep, mountain:
effects of fire on diet, 942
foraging ecology, 797
Sheep, Rocky Mountain bighorn: winter food habits, 156
Sheep, Stone's: nutrition on burned and unburned ranges, 397
Sherburne, James A., *see* Litvaitis, John A.
Sherman, Paul W., Martin L. Morton, Laura Mays Hoopes, Julius Bochantin, and J. Michael Watt. The use of tail collagen strength to estimate age in Belding's ground squirrels, 874–879
Shively, C. L., F. M. Whiting, R. S. Swingle, W. H. Brown, and L. K. Sowls. Some aspects of the nutritional biology of the collared peccary, 729–732
Sievert, Paul A., and Lloyd B. Keith. Survival of snowshoe hares at a geographic range boundary, 854–866
Silker, Theodore H., *see* Melchiors, M. Anthony
Skunk, striped: estimating abundance, 332
Slade, Norman A., *see* Swihart, Robert K.
Smith, Graham W., and Nicholas C. Nydegger. A spotlight, line-transect method for surveying jack rabbits, 699–702
Smith, Lyn, *see* Caughley, Graeme
Smith, P. C., *see* Cash, K. J.
Smith, Randy L., and Lester D. Flake. Movements and habitats of brood-rearing wood ducks on a prairie river, 437–442
Snyder, Warren D. Survival of radio-marked hen ring-necked pheasants in Colorado, 1044–1050
Sowls, L. K., *see* Shively, C. L.
Sowls, Lyle K., *see* Piest, Linden A.
Sparrow, Florida grasshopper: distribution, abundance, and habitat, 626
Speake, Dan W., Ray Metzler, and Joe McGlincy. Mortality of wild turkey poults in northern Alabama, 472–474
Spermophilus beldingi, see Squirrels, Belding's ground
Spielvogel, Sandra, *see* Temte, Jonathan L.
Spowart, Richard A., and N. Thompson Hobbs. Effects of fire on diet overlap between mule deer and mountain sheep, 942–946
Squibb, Ronald C. Mating success of yearling and older bull elk, 744–750
Squirrel, Kaibab: effects of timber harvesting, 14
Squirrel, southern flying: habitat use, 703
Squirrels, Belding's ground: age estimation, 874
Stanley, Theodore H., *see* Bailey, Peter L.
Starkey, Edward E., *see* Leslie, David M., Jr.
Starlings:
detecting methiocarb-treated grapes, 1102
response to auditory stimuli, 620
Stauffer, Dean F., and Steven R. Peterson. Ruffed and blue grouse habitat use in southeastern Idaho, 459–466
Stauffer, Dean F., and Steven R. Peterson. Seasonal micro-habitat relationships of ruffed grouse in southeastern Idaho, 605–610
Stephenson, David E. The use of charred black spruce bark by snowshoe hare, 296–300
Stephenson, Thor E., Jerry L. Holechеck, and Charles B. Kuykendall. Drought effect on pronghorn and other ungulate diets, 146–151
Stevenson, Henry M., *see* Delany, Michael F.
Stoddart, L. Charles. Severe weather related mortality of black-tailed jack rabbits, 696–698
Storm, Gerald L., *see* Hudgins, James E.
Stribling, H. Lee, and Phillip D. Doerr. Nocturnal use of fields by American woodcock, 485–491
Stroup, Walter W., *see* Johnson, Ron J.
Sturnus vulgaris, see Starlings
Summers, Robert C., *see* Packard, Jane M.
Suriname: food habits, brocket and white-tailed deer, 972
Surveys:
aerial, red-cockaded woodpeckers, 1083
aerial, seabirds, 412
biases in aerial transect surveys, moose, 777
black-tailed jack rabbits, 699
kangaroos, 686
ship and aerial, birds at sea, 405
strip and line transect methods, 1012
time of day and aerial counts, grey kangaroos, 843
visibility bias during aerial surveys of manatees, 347
Survival:
bobcats, Minnesota, 292
coyotes, Texas, 301
estimated by telemetry data, 668
estimating survival rates, common murre, 496
following relocation, black-tailed deer, 115
ring-necked pheasants, Colorado, 1044
sampling distribution of age-specific survival estimates, 180
snowshoe hares, 854
Sus scrofa, see Pigs, wild
Swanson, George A., Mavis I. Meyer, and Vyto A. Adomaitis. Foods consumed by breeding mallards on wetlands of south-central North Dakota, 197–203
Swanson, Gustav A. Review of **Flyways: Pioneering Waterfowl Management in North America,** edited by A. S. Hawkins, R. D. Hanson, H. K. Nelson, and H. M. Reeves, 832–833
Sweeney, Steven J., *see* Knick, Steven T.
Swenson, Jon E. Compensatory reproduction in an introduced mountain goat population in the Absaroka Mountains, Montana, 837–843
Swift, David M., *see* Hobbs, N. Thompson
Swift, David M., *see* Torbit, Stephen C.

Swihart, Robert K., and Norman A. Slade. Influence of sampling interval on estimates of home range size, 1019–1025
Swingle, R. S., *see* Shively, C. L.
Szymczak, Michael R., *see* Ringelman, James K.

T

Tacha, Thomas C., Clint Jorgenson, and Phillip S. Taylor. Harvest, migration, and condition of sandhill cranes in Saskatchewan, 476–480
Tacha, Thomas C., Paul A. Vohs, and William D. Warde. Morphometric variation of sandhill cranes from mid-continental North America, 246–250
Tacha, Thomas C, *see* Iverson, George C.
Tagging:
ear tag loss, black bears, 316
raccoons, 326
striped skunks, 332
web tag loss, lesser snow geese, 420
Tanzania: red-billed quelea damage to wheat, 646
Tayassu tajacu, *see* Peccary, collared
Taylor, Douglas H., *see* LaGory, Mary Katherine
Taylor, Phillip S., *see* Tacha, Thomas C.
TECHNIQUES:
Age criteria:
Belding's ground squirrels, 874
fisher, 37
gray wolves, 313
Japanese serow, 152
pintails, 576
red-tailed hawks, 226
white-tailed deer fetus, 372
Capture: mink, 40
Capture-recapture methods: bobwhite quail, 1062
Censusing: canvasbacks, 449
Chemical marking: iophenoxic acid, carnivores, 49
Determining food habits: pinnipeds, 910
Estimating home range: 1019
estimation procedure, 513
Estimating populations: bobwhite quail, 1062
Fatty acid indicator: adipose tissue, 170
Habitat evaluation: use by snowshoe hare, 693
Immobilization:
ketamine hydrochloride, collared peccaries, 356
xylazine and ketamine, bighorn sheep, 162
Population analysis: assessing wild populations, 997
Setting towers: optimal locations for triangulation studies, 190
Sex criteria:
bald eagles, 595
mountain quail, 475
red-legged partridge, 228
Surveying:
aerial, seabirds, 412
biases in aerial transect surveys, 777
black-tailed jack rabbits, 699
kangaroos, 686
red-cockaded woodpeckers, 1083
ship and aerial, birds at sea, 405
strip and line transect methods, 1012
visibility bias, 347
Telemetry: to estimate survival and mortality rates, 668
Temte, Jonathan L., and Sandra Spielvogel. Serum progesterone levels and reproductive status of incidentally killed female Dall's porpoises, 51–54
Tenneson, Cheryl, and Lewis W. Oring. Winter food preferences of porcupines, 28–33
Tennessee: raccoon weight change and population structure, 906
Teranishi, Roy, *see* Scrivner, Jerry H.
Texas:
coyote survival, 301
nutritional indices, collared peccaries, 57
sandhill crane distribution and abundance, 250
sandhill crane habitat use, 1074
snow geese body condition and nutrition, 1028
Thomas, Vernon G., *see* Prevett, J. Paul
Thompson, D. Q., *see* Haramis, G. M.
Tierson, William C., George F. Mattfeld, Richard W. Sage, Jr., and Donald F. Behrend. Seasonal movements and home ranges of white-tailed deer in the Adirondacks, 760–769
Timossi, Irene C., *see* Morrison, Michael L.
Tobin, Mark E. Cues used by European starlings for detecting methiocarb-treated grapes, 1102–1108
Torbit, Stephen C., Len H. Carpenter, A. William Alldredge, and David M. Swift. Mule deer body composition—a comparison of methods, 86–91
Torbit, Stephen C., Len H. Carpenter, David M. Swift, and A. William Alldredge. Differential loss of fat and protein by mule deer during winter, 80–85
Tortoises, giant: diet, Galapagos, 165
Trapping: a timer for field studies, 1025
Triangulation: optimal locations of towers, 190
Trichechus manatus, *see* Manatees
Turkeys:
mortality, 611
mortality of poults, Alabama, 472
poult feeding activity, 466
Tyler, W. Breck, *see* Briggs, Kenneth T.
Tzilkowski, Walter M., *see* Bashore, Terry L.

U

Ueckert, Darrell N., *see* Whisenant, Steven G.
Ultrasonic detectors: to monitor bat cries, 11
Ultrasound:
to diagnose pregnancy, bighorn sheep, 793
to diagnose pregnancy, collared peccary, 71
Ungulates:
diets and trophic ranking, northern Serengeti, 823
drought effect on diets, 146
fecal indices to dietary quality, 142
habitat relationships, South Dakota, 805
Uria aalge, *see* Murre, common
Urocyon cinereoargenteus, *see* Fox, gray
Ursus americanus, *see* Bears, black
Ursus arctos, *see* Bears, grizzly
Ursus maritimus, *see* Bears, polar

V

Van Ballenberghe, Victor. Wolf predation on caribou: the Nelchina herd case history, 711–720
Van Vuren, Dirk, and Bruce E. Coblentz. Kidney

weight variation and the kidney fat index: an evaluation, 177–179
Varner, L. W., *see* Lochmiller, R. L.
Varner, Larry W., *see* Lochmiller, Robert L.
Vaughan, Michael R., *see* Holbrook, H. Todd
Verme, Louis J. Birth weights of fawns from doe fawn white-tailed deer, 962–963
Verme, Louis J. Progeny sex ratio relationships in deer: theoretical vs. observed, 134–136
Verme, Louis J., *see* Ozoga, John J.
Virginia: canvasback census, 449
Vohs, Paul A., *see* Iverson, George C.
Vohs, Paul A., *see* Tacha, Thomas C.

W

Wadleigh, Richard L., *see* Patton, David R.
Wakeley, James S., *see* Hudgins, James E.
Ward, G. D., *see* Jenness, C. A.
Warde, William D., *see* Rolley, Robert E.
Warde, William D., *see* Tacha, Thomas C.
Warner, Richard E. Demography and movements of free-ranging domestic cats in rural Illinois, 340–346
Warner, Richard E., Stephen P. Havera, and Larry M. David. Effects of autumn tillage systems on corn and soybean harvest residues in Illinois, 185–190
Warren, Robert J., *see* Corn, Joseph L.
Washington:
effects of forest management on birds, 255
influence of sewage sludge fertilization on deer food habits, 91
population characteristics of bobcats, 721
Waterfowl:
aging by wing feather, pintails, 576
breeding in a sewage marsh, Arizona, 580
canvasback census, 449
condition index, mallards, 564
feeding ecology, ring-necked ducks, 546
influence of drought on mallard breeding, Iowa, 442
mallard digestive organ variation, 1037
mallard foods, North Dakota, 197
redhead and canvasback diet and nutrition, Nevada, 203
spring foods, snow and Canada geese, 558
status of ring-necked ducks, southern Atlantic Flyway, 543
wetland-waterfowl trends in grassland, Saskatchewan, 212
wood duck density-production characteristics, 429
wood duck movements and habitats, 437
Watt, J. Michael, *see* Sherman, Paul W.
Watts, Tom J., and Sanford D. Schemnitz. Mineral lick use and movement in a remnant desert bighorn sheep population, 994–996
Webb, Kenneth E., Jr., *see* Card, William C.
Weeks, Harmon P., Jr., *see* Jones, Robert L.
Werkhoven, Marga C. M., *see* Branan, William V.
Wetlands:
mallard foods, North Dakota, 197
wetland-waterfowl trends in grassland, Saskatchewan, 212
Whisenant, Steven G., Darrell N. Ueckert, and James E. Huston. Evaluation of selected shrubs for arid and semiarid game ranges, 524–527
White, G. C. Optimal locations of towers for triangulation studies using biotelemetry, 190–196
White, Gary C., *see* Garrott, Robert A.
White, Gary C., *see* Lee, John E.
White, Robert G., *see* Fancy, Steve G.
Whiting, F. M., *see* Shively, C. L.
Whyte, Richard J., and Eric G. Bolen. Variation in mallard digestive organs during winter, 1037–1040
Williamson, Lonnie L. Review of **Sacred Cows at the Public Trough,** by Denzel and Nancy Ferguson, 833–834
Wilson, G. R., *see* Hill, G. J. E.
Wilson, Kenneth R., and David R. Anderson. Evaluation of a nested grid approach for estimating density, 675–678
Windberg, Lamar A., H. LeRoy Anderson, and Richard M. Engeman. Survival of coyotes in southern Texas, 301–307
Wisconsin:
deer use of an irrigated agriculture-grassland complex, 125
gray fox reproduction, 890
Wishart, William D. Frequency of antlered white-tailed does in Camp Wainwright, Alberta, 386–388
With, Kimberly A., *see* Morrison, Michael L.
Wolves:
age determination, 313
predation on caribou, 711
Woodcock, American:
food preferences, Alabama, 492
movements and habitat, Pennsylvania, 614
nocturnal use of fields, 485
Woodpeckers, red-cockaded:
aerial survey techniques, 1083
foraging behavior, 505
Woolf, Alan, *see* Nelson, Thomas A.
Wright, Anthony L., *see* Yahner, Richard H.
Wydeven, Adrian P., and Robert B. Dahlgren. Ungulate habitat relationships in Wind Cave National Park, 805–813

X, Y

Yahner, Richard H., and Anthony L. Wright. Depredation on artificial ground nests: effects of edge and plot age, 508–513

Z

Zarnowitz, Jill E., and David A. Manuwal. The effects of forest management on cavity-nesting birds in northwestern Washington, 255–263
Zenaida macroura, *see* Doves, mourning
Zoellick, Bruce W., *see* Bechard, Marc J.
Zwickel, Fred C., *see* Hines, James E.

CONTENTS FOR VOLUME 49

NUMBER 1—JANUARY

AN ANALYSIS OF MANATEE MORTALITY PATTERNS IN FLORIDA, 1976–81 ..... Thomas J. O'Shea, Cathy A. Beck, Robert K. Bonde, Howard I. Kochman, and Daniel K. Odell 1

A BROADBAND ULTRASONIC FIELD DETECTOR FOR MONITORING BAT CRIES ..... Ken N. Paige, Lawrence A. Mink, and V. Rick McDaniel 11

THE EFFECTS OF TIMBER HARVESTING ON THE KAIBAB SQUIRREL ..... David R. Patton, Richard L. Wadleigh, and Howard G. Hudak 14

A STREAM HABITAT CLASSIFICATION SYSTEM FOR BEAVER ..... Rebecca J. Howard and Joseph S. Larson 19

RESPONSE OF RED WILLOW TO BEAVER USE IN SOUTHEASTERN OREGON ..... R. R. Kindschy 26

WINTER FOOD PREFERENCES OF PORCUPINES .. Cheryl Tenneson and Lewis W. Oring 28

DENNING, PUP-REARING, AND DISPERSAL IN THE GRAY FOX IN EAST-CENTRAL ALABAMA ..... W. S. Nicholson, Edward P. Hill, and Darrell Briggs 33

CORPORA LUTEA NUMBER AS RELATED TO FISHER AGE AND DISTRIBUTION IN MAINE ..... Martin E. Shea, Nancy L. Rollins, R. Terry Bowyer, and Alan G. Clark 37

USE OF DEN EXCAVATIONS, DECOYS, AND BARRIER TUNNELS TO CAPTURE MINK ..... Thomas C. Eagle and Alan B. Sargeant 40

REPRODUCTIVE ACTIVITY OF KANSAS BOBCATS ..... Neil F. Johnson and Diane J. Holloran 42

AN EXPANDABLE DROP-OFF TRANSMITTER HARNESS FOR YOUNG BOBCATS ..... DeWaine H. Jackson, Laura S. Jackson, and William K. Seitz 46

IOPHENOXIC ACID AS A SERUM MARKER IN CARNIVORES ..... George M. Baer, John H. Shaddock, David J. Hayes, and Peter Savarie 49

SERUM PROGESTERONE LEVELS AND REPRODUCTIVE STATUS OF INCIDENTALLY KILLED FEMALE DALL PORPOISES ..... Jonathan L. Temte and Sandra Spielvogel 51

USE OF METOCLOPRAMIDE TO PREVENT 1080-INDUCED EMESIS IN WILD PIGS ..... Ashok K. Rathore 55

SEASONAL VARIATION IN NUTRITIONAL INDICES OF COLLARED PECCARIES IN SOUTH TEXAS ..... Joseph L. Corn and Robert J. Warren 57

HEMATOLOGY OF THE COLLARED PECCARY ..... R. L. Lochmiller, L. W. Varner, and W. E. Grant 66

PREGNANCY DIAGNOSIS IN THE COLLARED PECCARY BY ULTRASONIC AMPLITUDE-DEPTH ANALYSIS ..... Eric C. Heligren, Robert L. Lochmiller, and William E. Grant 71

INFLUENCES OF WEATHER ON ELK USE OF SPRING–SUMMER HABITAT ..... C. Les Marcum and Michael D. Scott 73

COMPARATIVE DIGESTION OF GRASS IN MULE DEER AND ELK ..... Dan L. Baker and Douglas R. Hansen 77

DIFFERENTIAL LOSS OF FAT AND PROTEIN BY MULE DEER DURING WINTER ..... Stephen C. Torbit, Len H. Carpenter, David M. Swift, and A. William Alldredge 80

MULE DEER BODY COMPOSITION—A COMPARISON OF METHODS ..... Stephen C. Torbit, Len H. Carpenter, A. William Alldredge, and David M. Swift 86

INFLUENCE OF SEWAGE SLUDGE FERTILIZATION ON FOOD HABITS OF DEER IN WESTERN WASHINGTON ..... David A. Anderson 91

SEASONAL DISTRIBUTION AND HOME-RANGE PATTERNS OF SITKA BLACK-TAILED DEER ON ADMIRALTY ISLAND, SOUTHEAST ALASKA ..... John W. Schoen and Matthew D. Kirchhoff 96

POTENTIAL NUTRITIONAL LIMITATIONS FOR BLACK-TAILED DEER IN A SPRUCE–HEMLOCK FOREST, SOUTHEASTERN ALASKA ..... Thomas A. Hanley and Jay D. McKendrick 103

SURVIVAL OF BLACK-TAILED DEER FOLLOWING RELOCATION IN CALIFORNIA ..... Mary K. O'Bryan and Dale R. McCullough 115

WINTER BROWSE AVAILABILITY AND USE BY WHITE-TAILED DEER IN SOUTHEASTERN INDIANA ..... Mary Katherine LaGory, Kirk E. LaGory, and Douglas H. Taylor 120

WHITE-TAILED DEER USE OF AN IRRIGATED AGRICULTURE–GRASSLAND COMPLEX IN CENTRAL WISCONSIN ..... Robert K. Murphy, Neil F. Payne, and Raymond K. Anderson 125

Ca, Mg, AND P IN THE ANNUAL DIET OF DEER IN SOUTH-CENTRAL INDIANA ..... Robert L. Jones and Harmon P. Weeks, Jr. 129

PROGENY SEX RATIO RELATIONSHIPS IN DEER: THEORETICAL VS. OBSERVED .... Louis J. Verme 134

SUITABILITY OF A FORMULATED RATION FOR MOOSE ..... Charles C. Schwartz, Wayne L. Regelin, and Albert W. Franzmann 137

FECAL INDICES TO DIETARY QUALITY OF CERVIDS IN OLD-GROWTH FORESTS .... David M. Leslie, Jr. and Edward E. Starkey 142

DROUGHT EFFECT ON PRONGHORN AND OTHER UNGULATE DIETS ..... Thor E. Stephenson, Jerry L. Holechek, and Charles B. Kuykendall 146

HORN AND CEMENTUM ANNULATION AS AGE CRITERIA IN JAPANESE SEROW ..... Shingo Miura 152

MOUNTAIN SHEEP WINTER FOOD HABITS IN THE UPPER YELLOWSTONE VALLEY .. Kimberly A. Keating, Lynn R. Irby, and Wayne F. Kasworm 156

USE OF XYLAZINE AND KETAMINE TO IMMOBILIZE BIGHORN SHEEP IN ALBERTA ... Marco Festa-Bianchet and Jon T. Jorgenson 162

DIETS OF GIANT TORTOISES AND FERAL BURROS ON VOLCAN ALCEDO, GALAPAGOS Lynn E. Fowler de Neira and Mark K. Johnson 165

FATTY ACID COMPOSITION OF ADIPOSE TISSUE AS AN INDICATOR OF DIET: A PRELIMINARY ASSESSMENT ..... Russell F. Reidinger, Jr., John N. Labows, David P. Fellows, and J. Russell Mason 170

KIDNEY WEIGHT VARIATION AND THE KIDNEY FAT INDEX: AN EVALUATION ..... Dirk Van Vuren and Bruce E. Coblentz 177

THE SAMPLING DISTRIBUTION OF AGE-SPECIFIC SURVIVAL ESTIMATES FROM AN AGE DISTRIBUTION ..... Tom Polacheck 180

EFFECTS OF AUTUMN TILLAGE SYSTEMS ON CORN AND SOYBEAN HARVEST RESIDUES IN ILLINOIS ..... Richard E. Warner, Stephen P. Havera, and Larry M. David 185

OPTIMAL LOCATIONS OF TOWERS FOR TRIANGULATION STUDIES USING BIOTELEMETRY ..... G. C. White 190

FOODS CONSUMED BY BREEDING MALLARDS ON WETLANDS OF SOUTH-CENTRAL NORTH DAKOTA ..... George A. Swanson, Mavis I. Meyer, and Vyto A. Adomaitis 197

DIET AND NUTRITION OF BREEDING FEMALE REDHEAD AND CANVASBACK DUCKS IN NEVADA ..... James H. Noyes and Robert L. Jarvis 203

LONG-TERM WETLAND–WATERFOWL TRENDS IN SASKATCHEWAN GRASSLAND ... William G. Leitch and Richard M. Kaminski 212

FOOD REMAINS FROM BALD EAGLE NEST SITES ON CAPE BRETON ISLAND, NOVA SCOTIA ..... K. J. Cash, P. J. Austin-Smith, D. Banks, D. Harris, and P. C. Smith 223

ACCURACY IN DETERMINING THE AGE OF NESTLING RED-TAILED HAWKS ..... Marc J. Bechard, Bruce W. Zoellick, and Michael Nickerson 226

MORPHOLOGICAL CHARACTERISTICS AND SEX CLASSIFICATION OF RED-LEGGED PARTRIDGE ..... Dominique Pépin 228

INTERSEASONAL MOVEMENTS AND FIDELITY TO SEASONAL USE AREAS BY FEMALE SAGE GROUSE ..... John D. Berry and Robert L. Eng 237

CHRONOLOGY OF MIGRATION BY AMERICAN COOTS IN OKLAHOMA ..... William R. Eddleman, Fritz L. Knopf, and Craig T. Patterson 241

MORPHOMETRIC VARIATION OF SANDHILL CRANES FROM MID-CONTINENTAL NORTH AMERICA ..... Thomas C. Tacha, Paul A. Vohs, and William D. Warde 246

DISTRIBUTION AND ABUNDANCE OF SANDHILL CRANES WINTERING IN WESTERN TEXAS ..... George C. Iverson, Paul A. Vohs, and Thomas C. Tacha 250

THE EFFECTS OF FOREST MANAGEMENT ON CAVITY-NESTING BIRDS IN NORTHWESTERN WASHINGTON ..... Jill E. Zarnowitz and David A. Manuwal 255

SELECTION OF ARTIFICIAL NEST SITES BY FIVE SYMPATRIC PASSERINES ..... Hugh L. Munro and Richard C. Rounds 264

Book Reviews 277

Editorial News 282

NUMBER 2—APRIL

DYNAMICS OF A HARVESTED BOBCAT POPULATION IN OKLAHOMA ..... Robert E. Rolley 283

SURVIVAL RATES AND MORTALITY FACTORS OF ADULT BOBCATS IN NORTH-CENTRAL MINNESOTA ..... Todd K. Fuller, William E. Berg, and David W. Kuehn 292

THE USE OF CHARRED BLACK SPRUCE BARK BY SNOWSHOE HARE ..... David E. Stephenson 296

SURVIVAL OF COYOTES IN SOUTHERN TEXAS ..... Lamar A. Windberg, H. Leroy Anderson, and Richard M. Engeman 301

COYOTE MOVEMENTS, HABITAT USE, AND VULNERABILITY IN CENTRAL ALBERTA ..... Laurence D. Roy and Michael J. Dorrance 307

USE OF TOOTH CEMENTUM FOR AGE DETERMINATION OF GRAY WOLVES ..... Enid A. Goodwin and Warren B. Ballard 313

EAR TAG LOSS BY BLACK BEARS IN PENNSYLVANIA ..... Gary L. Alt, Craig R. McLaughlin, and Kenneth H. Pollock 316

POLAR BEAR DENNING AND CUB PRODUCTION IN SVALBARD, NORWAY ..... Thor Larsen 320

EVALUATION OF RADIOISOTOPE TAGGING FOR ESTIMATING ABUNDANCE OF RACCOON POPULATIONS ..... Mark C. Conner and Ronald F. Labisky 326

EVALUATION OF MARK–RECAPTURE FOR ESTIMATING STRIPED SKUNK ABUNDANCE ..... Raymond J. Greenwood, Alan B. Sargeant, and Douglas H. Johnson 332

DEMOGRAPHY AND MOVEMENTS OF FREE-RANGING DOMESTIC CATS IN RURAL ILLINOIS ..... Richard E. Warner 340

VARIATION OF VISIBILITY BIAS DURING AERIAL SURVEYS OF MANATEES ..... Jane M. Packard, Robert C. Summers, and Lindsay B. Barnes 347

PROTEIN REQUIREMENT OF ADULT COLLARED PECCARIES ..... Gary R. Carl and Robert D. Brown 351

IMMOBILIZATION OF COLLARED PECCARIES WITH KETAMINE HYDROCHLORIDE ..... James F. Gallagher, Robert L. Lochmiller, and William E. Grant 356

EFFECTIVENESS OF PREDATOR FECAL ODORS AS BLACK-TAILED DEER REPELLENTS ..... M. Anthony Melchiors and Charles A. Leslie 358

SASKATOON SERVICEBERRY TOXIC TO DEER ..... Dee A. Quinton 362

COMPARATIVE BREEDING BEHAVIOR AND PERFORMANCE OF YEARLING VS. PRIME-AGE WHITE-TAILED BUCKS ..... John J. Ozoga and Louis J. Verme 364

DETERMINING FETUS AGE IN LIVE WHITE-TAILED DOES BY X-RAY ..... John J. Ozoga and Louis J. Verme 372

BIRTH SIZE AND GROWTH OF DEER FAWNS IN SOUTHERN ILLINOIS ..... Thomas A. Nelson and Alan Woolf 374

MORTALITY OF WHITE-TAILED DEER FAWNS IN SOUTH-CENTRAL IOWA ..... Craig N. Huegel, Robert B. Dahlgren, and H. Lee Gladfelter 377

NUTRITIONAL INFLUENCES ON NEFA, CHOLESTEROL, AND KETONES IN WHITE-TAILED DEER ..... William C. Card, Roy L. Kirkpatrick, Kenneth E. Webb, Jr., and Patrick F. Scanlon 380

FREQUENCY OF ANTLERED WHITE-TAILED DOES IN CAMP WAINWRIGHT, ALBERTA ..... William D. Wishart 386

SEASONAL ENERGY METABOLISM OF ADULT MOOSE ..... Wayne L. Regelin, Charles C. Schwartz, and Albert W. Franzmann 388

MOOSE TWINNING RATES: A POSSIBLE POPULATION CONDITION ASSESSMENT ..... Albert W. Franzmann and Charles C. Schwartz 394

NUTRITION OF STONE'S SHEEP ON BURNED AND UNBURNED RANGES ..... D. R. Seip and F. L. Bunnell 397

COMPARISON OF SHIP AND AERIAL SURVEYS OF BIRDS AT SEA ..... Kenneth T. Briggs, W. Breck Tyler, and David B. Lewis 405

AERIAL SURVEYS FOR SEABIRDS: METHODOLOGICAL EXPERIMENTS ..... Kenneth T. Briggs, W. Breck Tyler, and David B. Lewis 412

DOES CLUTCH SIZE VARY WITH COHORT IN LESSER SNOW GEESE? ..... C. Scott Findlay, Robert F. Rockwell, and Fred Cooke 417

WEB TAG LOSS FROM LESSER SNOW GEESE ..... Randolph J. Seguin and F. Cooke 420

SUBFLOCKING AND WINTER MOVEMENTS OF CANADA GEESE IN SOUTHERN ILLINOIS ..... Dana R. Anderson and David E. Joyner 422

DENSITY-PRODUCTION CHARACTERISTICS OF BOX-NESTING WOOD DUCKS IN A NORTHERN GREENTREE IMPOUNDMENT ..... G. M. Haramis and D. Q. Thompson 429

MOVEMENTS AND HABITATS OF BROOD-REARING WOOD DUCKS ON A PRAIRIE RIVER ..... Randy L. Smith and Lester D. Flake 437

INFLUENCE OF DROUGHT ON MALLARDS BREEDING IN NORTHERN IOWA ..... DeWaine H. Jackson, Harold H. Prince, and Richard A. Bishop 442

AN AERIAL PHOTOGRAPHIC CENSUS OF CHESAPEAKE BAY AND NORTH CAROLINA CANVASBACKS .... G. M. Haramis, J. R. Goldsberry, D. G. McAuley, and E. L. Derleth 449

HIGH RATES OF NONBREEDING ADULT BALD EAGLES IN SOUTHEASTERN ALASKA ..... Andrew J. Hansen and John I. Hodges, Jr. 454

RUFFED AND BLUE GROUSE HABITAT USE IN SOUTHEASTERN IDAHO ..... Dean F. Stauffer and Steven R. Peterson 459

TURKEY POULT FEEDING ACTIVITY, INVERTEBRATE ABUNDANCE, AND VEGETATION STRUCTURE ..... William M. Healy 466

MORTALITY OF WILD TURKEY POULTS IN NORTHERN ALABAMA ..... Dan W. Speake, Ray Metzler, and Joe McGlincy 472

SEX DETERMINATION OF MOUNTAIN QUAIL RECONSIDERED ..... Leonard A. Brennan and William M. Block 475

HARVEST, MIGRATION, AND CONDITION OF SANDHILL CRANES IN SASKATCHEWAN ..... Thomas C. Tacha, Clint Jorgenson, and Phillip S. Taylor 476

CRYOGENIC PRESERVATION OF SEMEN FROM THE GREATER SANDHILL CRANE ..... George F. Gee, Murray R. Bakst, and Thomas J. Sexton 480

NOCTURNAL USE OF FIELDS BY AMERICAN WOODCOCK ..... H. Lee Stribling and Phillip D. Doerr 485

FOOD PREFERENCES OF AMERICAN WOODCOCK WINTERING IN ALABAMA ..... Doreen L. Miller and M. Keith Causey 492

A NEW METHOD FOR ESTIMATING THE SURVIVAL RATES OF THE COMMON MURRE ..... T. R. Birkhead, R. Kay, and D. N. Nettleship 496

SURROGATE FEEDING AND ADOPTIVE BEHAVIOR IN MOURNING DOVES ..... Ronald R. Hitchcock and Ralph E. Mirarchi 502

FORAGING BEHAVIOR OF RED-COCKADED WOODPECKERS: AN EVALUATION OF RESEARCH METHODOLOGIES ..... Margaret L. Porter, Michael W. Collopy, Ronald F. Labisky, and Ramon C. Littell 505

DEPREDATION ON ARTIFICIAL GROUND NESTS: EFFECTS OF EDGE AND PLOT AGE ..... Richard H. Yahner and Anthony L. Wright 508

HOME RANGE: A WEIGHTED NORMAL ESTIMATE AND TESTS OF UNDERLYING ASSUMPTIONS ..... Michael D. Samuel and Edward O. Garton 513

THE USE OF DIGLYME AS AN ODOR-ATTRACTANT SOLVENT ..... Jerry H. Scrivner, Walter E. Howard, and Roy Teranishi 519

SEASON AND TWIG-LENGTH EFFECTS ON CELL COMPOSITION OF RED MAPLE ..... Aaron N. Moen 521

EVALUATION OF SELECTED SHRUBS FOR ARID AND SEMIARID GAME RANGES ..... Steven G. Whisenant, Darrell N. Ueckert, and James E. Huston 524

SOCIAL AND PERCEPTUAL FACTORS IN ENDANGERED SPECIES MANAGEMENT ..... Stephen R. Kellert 528

Book Reviews 537

Editorial News 542

NUMBER 3—JULY

STATUS OF WINTERING RING-NECKED DUCKS IN THE SOUTHERN ATLANTIC FLYWAY ..... Frank Montalbano III, Fred A. Johnson, and Michael J. Conroy 543

FEEDING ECOLOGY OF RING-NECKED DUCKS IN NORTHWESTERN MINNESOTA ..... William L. Hohman 546

SPRING FOODS OF SNOW AND CANADA GEESE AT JAMES BAY ..... J. Paul Prevett, Ian F. Marshall, and Vernon G. Thomas 558

A PHYSIOLOGICAL CONDITION INDEX FOR WINTERING MALLARDS ..... James K. Ringelman and Michael R. Szymczak 564

AN EVALUATION OF CONDITION INDICES FOR BIRDS ..... Douglas H. Johnson, Gary L. Krapu, Kenneth J. Reinecke, and Dennis G. Jorde 569

DIFFERENTIATING YEARLING FROM ADULT NORTHERN PINTAILS BY WING-FEATHER CHARACTERISTICS ..... David C. Duncan 576

BREEDING DUCK USE OF A SEWAGE MARSH IN ARIZONA ..... Linden A. Piest and Lyle K. Sowls 580

THE IMPACT OF HUMAN ACTIVITIES ON BREEDING BALD EAGLES IN NORTH-CENTRAL MINNESOTA ..... James D. Fraser, L. D. Frenzel, and John E. Mathisen 585

FOOD AVAILABILITY AND WINTER RANGE SIZES OF IMMATURE AND ADULT BALD EAGLES ..... C. R. Griffin and T. S. Baskett 592

MORPHOMETRIC, KARYOTYPIC, AND LAPAROSCOPIC TECHNIQUES FOR DETERMINING SEX IN BALD EAGLES ..... David K. Garcelon, Mark S. Martell, Patrick T. Redig, and Lance C. Bueen 595

COMPENSATORY REPRODUCTION THROUGH RENESTING IN WILLOW PTARMIGAN ..... Howard Parker 599

SEASONAL MICRO-HABITAT RELATIONSHIPS OF RUFFED GROUSE IN SOUTHEASTERN IDAHO ..... Dean F. Stauffer and Steven R. Peterson 605

INFLUENCE OF ROADS ON TURKEY MORTALITY ..... H. Todd Holbrook and Michael R. Vaughan 611

LOCAL MOVEMENTS AND DIURNAL-HABITAT SELECTION BY MALE AMERICAN WOODCOCK IN PENNSYLVANIA ... James E. Hudgins, Gerald L. Storm, and James S. Wakeley 614

STARLING RESPONSE TO THREE AUDITORY STIMULI ..... Ron J. Johnson, Patrick H. Cole, and Walter W. Stroup 620

DISTRIBUTION, ABUNDANCE, AND HABITAT OF THE FLORIDA GRASSHOPPER SPARROW ..... Michael F. Delany, Henry M. Stevenson, and Ray McCracken 626

ALLEVIATING NUISANCE CANADA GOOSE PROBLEMS THROUGH METHIOCARB-INDUCED AVERSIVE CONDITIONING ..... Michael R. Conover 631

FIELD EVALUATION OF DIMETHYL ANTHRANILATE AS A BIRD REPELLENT LIVESTOCK FEED ADDITIVE ..... J. Russell Mason, James F. Glahn, Richard A. Dolbeer, and Russell F. Reidinger 636

PROTECTING VEGETABLES FROM CROWS USING AN ANIMATED CROW-KILLING OWL MODEL ..... Michael R. Conover 643

WEEDS INFLUENCE RED-BILLED QUELEA DAMAGE TO RIFENING WHEAT IN TANZANIA ..... Roland Luder 646

ORGANOPHOSPHATE INSECTICIDE (FAMPHUR) TOPICALLY APPLIED TO CATTLE KILLS MAGPIES AND HAWKS ..... Charles J. Henny, Lawrence J. Blus, Elizabeth J. Kolbe, and Richard E. Fitzner 648

ACCESSING ACCURACY OF A RADIOTELEMETRY SYSTEM FOR ESTIMATING ANIMAL LOCATIONS ..... John E. Lee, Gary C. White, Robert A. Garrott, Richard M. Bartmann, and A. William Alldredge 658

A SIMPLE COMPUTER-AIDED METHOD FOR ESTIMATING RADIO-LOCATION ERROR ..... David Saltz and Philip U. Alkon 664

EVALUATION OF SURVIVAL AND CAUSE-SPECIFIC MORTALITY RATES USING TELEMETRY DATA ..... Dennis M. Heisey and Todd K. Fuller 668

EVALUATION OF A NESTED GRID APPROACH FOR ESTIMATING DENSITY ..... Kenneth R. Wilson and David R. Anderson 675

THE EFFECT OF DROUGHT ON KANGAROO POPULATIONS ..... Graeme Caughley, Gordon C. Grigg, and Lyn Smith 679

FACTORS AFFECTING THE VISIBILITY OF KANGAROOS COUNTED DURING AERIAL SURVEYS ..... Peter Bayliss and Jack Giles 696

A COMPARISON OF METHODS USED TO EXAMINE SNOWSHOE HARE HABITAT USE ..... John A. Litvaitis, James A. Sherburne, and John A. Bissonette 693

SEVERE WEATHER RELATED MORTALITY OF BLACK-TAILED JACK RABBITS ..... L. Charles Stoddart 696

A SPOTLIGHT, LINE-TRANSECT METHOD FOR SURVEYING JACK RABBITS ..... Graham W. Smith and Nicholas C. Nydegger 699

HABITAT USE BY THE SOUTHERN FLYING SQUIRREL AT A HEMLOCK-NORTHERN HARDWOOD ECOTONE ..... Robert M. Gilmore and J. Edward Gates 703

WOLF PREDATION ON CARIBOU: THE NELCHINA HERD CASE HISTORY ..... Victor Van Ballenberghe 711

POPULATION CHARACTERISTICS OF BOBCATS IN WASHINGTON STATE ..... Steven T. Knick, J. David Brittell, and Steven J. Sweeney 721

SOME ASPECTS OF THE NUTRITIONAL BIOLOGY OF THE COLLARED PECCARY ..... C. L. Shively, F. M. Whiting, R. S. Swingle, W. H. Brown, and L. K. Sowls 729

METABOLIC AND HORMONAL RESPONSES TO DIETARY RESTRICTION IN ADULT FEMALE COLLARED PECCARIES ..... Robert L. Lochmiller, Larry W. Varner, and W. E. Grant 733

EFFECTS OF LOGGING ACTIVITIES ON HOME-RANGE FIDELITY OF ELK ..... W. Daniel Edge, C. Les Marcum, and Sally L. Olson 741

MATING SUCCESS OF YEARLING AND OLDER BULL ELK ..... Ronald C. Squibb 744

ELK CALF RESPONSE TO SIMULATED MINE DISTURBANCE IN SOUTHEAST IDAHO ..... Lonn Kuck, Gary L. Hompland, and Evelyn H. Merrill 751

COMPARISON OF RADIO-TRANSMITTER PACKAGES RELATIVE TO DEER FAWN MORTALITY ..... Robert A. Garrott, Richard M. Bartmann, and Gary C. White 758

SEASONAL MOVEMENTS AND HOME RANGES OF WHITE-TAILED DEER IN THE ADIRONDACKS ..... William C. Tierson, George F. Mattfeld, Richard W. Sage, Jr., and Donald F. Behrend 760

ANALYSIS OF DEER–VEHICLE COLLISION SITES IN PENNSYLVANIA ..... Terry L. Bashore, Walter M. Tzilkowski, and Edward D. Bellis 769

EFFECTIVENESS OF SWAREFLEX REFLECTORS IN REDUCING DEER–VEHICLE ACCIDENTS ..... James A. Schafer and Stephen T. Penland 774

BIASES IN AERIAL TRANSECT SURVEYS FOR MOOSE DURING MAY AND JUNE ..... William C. Gasaway, Stephen D. Dubois, and Samuel J. Harbo 777

ESTIMATION OF DRY MATTER INTAKE OF FREE-RANGING MOOSE ..... Lyle A. Renecker and Robert J. Hudson 785

ACCURACY OF DOPPLER ULTRASOUND IN DIAGNOSING PREGNANCY IN BIGHORN SHEEP ..... W. L. Harper and R. D. H. Cohen 793

FORAGING ECOLOGY OF MOUNTAIN SHEEP: IMPLICATIONS FOR HABITAT MANAGEMENT ..... Kenneth L. Risenhoover and James A. Bailey 797

UNGULATE HABITAT RELATIONSHIPS IN WIND CAVE NATIONAL PARK ..... Adrian P. Wydeven and Robert B. Dahlgren 805

ESTIMATES OF HABITAT CARRYING CAPACITY INCORPORATING EXPLICIT NUTRITIONAL CONSTRAINTS ..... N. Thompson Hobbs and David M. Swift 814

DIETS AND TROPHIC RANKING OF UNGULATES OF THE NORTHERN SERENGETI ..... R. M. Hansen, M. M. Mugambi, and S. M. Bauni 823

Book Reviews 830

NUMBER 4—OCTOBER

COMPENSATORY REPRODUCTION IN AN INTRODUCED MOUNTAIN GOAT POPULATION IN THE ABSAROKA MOUNTAINS, MONTANA ..... Jon E. Swenson 837

TIME OF DAY AND AERIAL COUNTS OF GREY KANGAROOS ..... G. J. E. Hill, A. Barnes, and G. R. Wilson 843

A MICROCOMPUTER DATA ACQUISITION-TELEMETRY SYSTEM: A STUDY OF ACTIVITY IN THE BAT ..... Howard M. Cooper and Pierre Charles-Dominique 850

SURVIVAL OF SNOWSHOE HARES AT A GEOGRAPHIC RANGE BOUNDARY ..... Paul R. Sievert and Lloyd B. Keith 854

INFLUENCE OF UNDERSTORY CHARACTERISTICS ON SNOWSHOE HARE HABITAT USE AND DENSITY ..... John A. Litvaitis, James A. Sherburne, and John A. Bissonette 866

THE USE OF TAIL COLLAGEN STRENGTH TO ESTIMATE AGE IN BELDING'S GROUND SQUIRRELS ..... Paul W. Sherman, Martin L. Morton, Laura Mays Hoopes, Julius Bochantin, and J. Michael Watt 874

MORTALITY RATES OF BEAVER IN NEWFOUNDLAND—A COMMENT ..... Richard A. Lancia and John W. Bishir 879

MORTALITY RATES OF BEAVER IN NEWFOUNDLAND—A REPLY ..... Neil F. Payne 881

DEMOGRAPHY OF MUSKRATS ON THE UPPER MISSISSIPPI RIVER ..... Robert T. Clay and William R. Clark 883

AGE-SPECIFIC REPRODUCTION OF GRAY FOXES IN WISCONSIN ..... David A. Root and Neil F. Payne 890

SERUM CHEMISTRY OF CENTRAL AND NORTHERN ALASKA GRIZZLY BEARS ..... Robert D. Brannon 893

AGE-SPECIFIC REPRODUCTION IN ILLINOIS AND MISSOURI RACCOONS ..... Erik K. Fritzell, George F. Hubert, Jr., Bradley E. Meyen, and Glen C. Sanderson 901

WEIGHT CHANGES AND POPULATION STRUCTURE OF RACCOONS IN WESTERN TENNESSEE ..... Dwight W. Moore and Michael L. Kennedy 906

A TECHNIQUE FOR THE RECOVERY OF OTOLITHS FROM STOMACH CONTENTS OF PISCIVOROUS PINNIPEDS ..... D. J. Murie and D. M. Lavigne 910

BOBCAT HABITAT USE IN SOUTHEASTERN OKLAHOMA ..... Robert E. Rolley and William D. Warde 913

TEMPORAL AND SPATIAL DISTRIBUTION OF MANATEES IN KINGS BAY, CRYSTAL RIVER, FLORIDA ..... Howard I. Kochman, Galen B. Rathbun, and James A. Powell 921

DEFECATION RATE OF HOG DEER IN CAPTIVITY ..... Sanat K. Dhungel 925

MOVEMENTS OF ELK IN RELATION TO LOGGING DISTURBANCES ..... W. Daniel Edge and C. Les Marcum 926

THE ED_{95} OF CARFENTANIL FOR ELK IMMOBILIZATION WITH AND WITHOUT THE TRANQUILIZER R51703 ..... Peter L. Bailey, J. David Port, Nathan L. Pace, Theodore H. Stanley, and John Kimball 931

EMERGENCY FEEDING OF MULE DEER DURING WINTER: TESTS OF A SUPPLEMENTAL RATION ..... Dan L. Baker and N. Thompson Hobbs 934
EFFECTS OF FIRE ON DIET OVERLAP BETWEEN MULE DEER AND MOUNTAIN SHEEP ..... Richard A. Spowart and N. Thompson Hobbs 942
HABITAT USE BY BLACK-TAILED DEER ON NORTHERN VANCOUVER ISLAND ..... Alton S. Harestad 946
RELIABILITY OF MOTION-SENSITIVE RADIO COLLARS FOR ESTIMATING ACTIVITY OF BLACK-TAILED DEER ..... Michael P. Gillingham and Fred L. Bunnell 951
DEER USE OF YOUNG PINE PLANTATIONS IN SOUTHEASTERN OKLAHOMA ..... M. Anthony Melchiors, Theodore H. Silker, and James E. Reeb 958
BIRTH WEIGHTS OF FAWNS FROM DOE FAWN WHITE-TAILED DEER ... Louis J. Verme 962
REPRODUCTIVE DYNAMICS AMONG DISJUNCT WHITE-TAILED DEER HERDS IN FLORIDA ..... Andreas R. Richter and Ronald F. Labisky 964
FOOD HABITS OF BROCKET AND WHITE-TAILED DEER IN SURINAME ..... William V. Branan, Marga C. M. Werkhoven, and R. Larry Marchinton 972
ANNUAL VARIATION IN CARCASS WEIGHT OF NORWEGIAN MOOSE IN RELATION TO CLIMATE ALONG A LATITUDINAL GRADIENT ..... Bernt-Erik Saether 977
GEOGRAPHICAL VARIATION IN THE ANTLERS OF NORWEGIAN MOOSE IN RELATION TO AGE AND SIZE ..... Bernt-Erik Saether and Hans Haagenrud 983
ENERGY EXPENDITURES BY CARIBOU WHILE CRATERING IN SNOW ..... Steve G. Fancy and Robert G. White 987
MINERAL LICK USE AND MOVEMENT IN A REMNANT DESERT BIGHORN SHEEP POPULATION ..... Tom J. Watts and Sanford D. Schemnitz 994
ASSESSING THE DYNAMICS OF WILD POPULATIONS ..... L. L. Eberhardt 997
EFFICIENCY AND BIAS IN STRIP AND LINE TRANSECT SAMPLING ..... Kenneth P. Burnham, David R. Anderson, and Jeffrey L. Laake 1012
INFLUENCE OF SAMPLING INTERVAL ON ESTIMATES OF HOME-RANGE SIZE ..... Robert K. Swihart and Norman A. Slade 1019
A VERSATILE TIMER FOR FIELD STUDIES IN ANIMAL ECOLOGY ..... C. A. Jenness and G. D. Ward 1025
BODY CONDITION AND NUTRITION OF SNOW GEESE WINTERING IN SOUTHEASTERN TEXAS ..... William C. Hobaugh 1028
VARIATION IN MALLARD DIGESTIVE ORGANS DURING WINTER ..... Richard J. Whyte and Eric G. Bolen 1037
ENVIRONMENTAL CONTAMINANTS IN EASTERN COOPER'S HAWK EGGS ..... Oliver H. Pattee, Mark R. Fuller, and T. Earl Kaiser 1040
SURVIVAL OF RADIO-MARKED HEN RING-NECKED PHEASANTS IN COLORADO ..... Warren D. Snyder 1044
INFLUENCE OF RADIO PACKAGES ON YOUNG BLUE GROUSE ..... James E. Hines and Fred C. Zwickel 1050
SAGE GROUSE FOOD SELECTION IN WINTER, NORTH PARK, COLORADO ..... Thomas E. Remington and Clait E. Braun 1055
A COMPARISON OF CAPTURE-RECAPTURE WITH CAPTURE-REMOVAL FOR QUAIL POPULATIONS ..... Timothy G. O'Brien, Kenneth H. Pollock, William R. Davidson, and Forest E. Kellogg 1062
EFFECTS OF PARAQUAT ON REPRODUCTION AND GROWTH IN NORTHERN BOBWHITE ..... Cheryl A. Bauer 1066
HABITAT USE BY SANDHILL CRANES WINTERING IN WESTERN TEXAS ..... George C. Iverson, Paul A. Vohs, and Thomas C. Tacha 1074
AN EVALUATION OF AERIAL SURVEY TECHNIQUES FOR RED-COCKADED WOODPECKERS ..... Jerome A. Jackson 1083
EFFECTS OF EVEN-AGE TIMBER MANAGEMENT ON BIRD COMMUNITIES OF THE LONGLEAF PINE FOREST IN NORTHERN FLORIDA ..... Robert W. Repenning and Ronald F. Labisky 1088

USE OF TREE SPECIES BY FOREST BIRDS DURING WINTER AND SUMMER ..... Michael L. Morrison, Irene C. Timossi, Kimberly A. With, and Patricia N. Manley 1098

CUES USED BY EUROPEAN STARLINGS FOR DETECTING METHIOCARB-TREATED GRAPES ..... Mark E. Tobin 1102

FACTORS INFLUENCING BLACKBIRD DAMAGE TO FIELD CORN ..... Eric K. Bollinger and James W. Caslick 1109

APPLICATION OF MIMICRY THEORY TO BIRD DAMAGE CONTROL .. Michael L. Avery 1116

Book Reviews 1122

Editorial News 1125

Index 1126